

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 1
Run Date: 4/4/2012

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	400	5.3	400	4.0	400	7.5	0	0.0 0.0
12 - 23 Months	179	5.0	179	1.1	179	15.6	0	0.0 0.0
24 - 59 Months	234	4.3	234	4.3	234	13.2	234	12.8 13.2
Total	813	4.9	813	3.4	813	10.9	234	12.8 13.2
Black, Not Hispanic								
0 - 11 Months	1,281	9.8	1,281	4.8	1,281	10.3	0	0.0 0.0
12 - 23 Months	573	3.5	573	0.9	573	17.8	0	0.0 0.0
24 - 59 Months	782	2.4	782	3.3	782	15.5	782	17.0 15.5
Total	2,636	6.2	2,636	3.5	2,636	13.5	782	17.0 15.5
Hispanic								
0 - 11 Months	4,460	4.5	4,460	4.1	4,460	8.6	0	0.0 0.0
12 - 23 Months	2,336	4.0	2,336	1.2	2,336	15.1	0	0.0 0.0
24 - 59 Months	3,744	3.5	3,744	2.6	3,744	20.5	3,744	16.9 20.5
Total	10,540	4.0	10,540	2.9	10,540	14.3	3,744	16.9 20.5
American Indian/Alaska Native								
0 - 11 Months	10	*	10	*	10	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	13	*	13	*	13	*	13	* *
Total	32	*	32	*	32	*	13	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 2
Run Date: 4/4/2012

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	1,065	5.1	1,065	6.6	1,065	5.6	0	0.0 0.0
12 - 23 Months	483	3.7	483	1.4	483	6.8	0	0.0 0.0
24 - 59 Months	734	4.6	734	6.3	734	9.9	734	12.5 9.9
Total	2,282	4.6	2,282	5.4	2,282	7.3	734	12.5 9.9
Pacific Islander								
0 - 11 Months	72	*	72	*	72	*	0	* *
12 - 23 Months	30	*	30	*	30	*	0	* *
24 - 59 Months	48	*	48	*	48	*	48	* *
Total	150	1.3	150	3.3	150	19.3	48	* *
Filipino								
0 - 11 Months	77	*	77	*	77	*	0	* *
12 - 23 Months	48	*	48	*	48	*	0	* *
24 - 59 Months	54	*	54	*	54	*	54	* *
Total	179	7.8	179	5.0	179	9.5	54	* *
All Other								
0 - 11 Months	4,352	6.0	4,352	7.2	4,352	6.5	0	0.0 0.0
12 - 23 Months	1,769	3.4	1,769	1.5	1,769	11.6	0	0.0 0.0
24 - 59 Months	2,462	3.5	2,462	4.2	2,462	15.9	2,462	15.8 15.9
Total	8,583	4.7	8,583	5.2	8,583	10.2	2,462	15.8 15.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alameda
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 3
Run Date: 4/4/2012

State: California

County: 001

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	11,717	5.7	11,717	5.6	11,717	7.7	0	0.0 0.0
12 - 23 Months	5,427	3.8	5,427	1.3	5,427	13.5	0	0.0 0.0
24 - 59 Months	8,071	3.5	8,071	3.6	8,071	17.4	8,071	16.0 17.4
Total	25,215	4.6	25,215	4.0	25,215	12.1	8,071	16.0 17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 4
Run Date: 4/4/2012

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	3	*	3	*	3	*	3 * *
Total	7	*	7	*	7	*	3 * *
Black, Not Hispanic							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	5	*	5	*	5	*	1 * *
Hispanic							
0 - 11 Months	20	*	20	*	20	*	0 * *
12 - 23 Months	11	*	11	*	11	*	0 * *
24 - 59 Months	23	*	23	*	23	*	23 * *
Total	54	*	54	*	54	*	23 * *
American Indian/Alaska Native							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 5
Run Date: 4/4/2012

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	2	*	2	*	2	*	2 * *
Total	3	*	3	*	3	*	2 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	7	*	7	*	7	*	0 * *
12 - 23 Months	4	*	4	*	4	*	0 * *
24 - 59 Months	7	*	7	*	7	*	7 * *
Total	18	*	18	*	18	*	7 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Alpine
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 6
Run Date: 4/4/2012

State: California

County: 002

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Total All Race/Ethnic Groups							
0 - 11 Months	35	*	35	*	35	*	0 * *
12 - 23 Months	16	*	16	*	16	*	0 * *
24 - 59 Months	36	*	36	*	36	*	36 * *
Total	87	*	87	*	87	*	36 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 7
Run Date: 4/4/2012

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	224	5.4	224	0.4	224	5.4	0	0.0 0.0
12 - 23 Months	126	3.2	126	0.0	126	6.3	0	0.0 0.0
24 - 59 Months	205	4.4	205	4.9	205	17.1	205	18.0 17.1
Total	555	4.5	555	2.0	555	9.9	205	18.0 17.1
Black, Not Hispanic								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	10	*	10	*	10	*	3	* *
Hispanic								
0 - 11 Months	56	*	56	*	56	*	0	* *
12 - 23 Months	29	*	29	*	29	*	0	* *
24 - 59 Months	51	*	51	*	51	*	51	* *
Total	136	4.4	136	2.9	136	13.2	51	* *
American Indian/Alaska Native								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	7	*	7	*	7	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 8
Run Date: 4/4/2012

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	5	*	5	*	5	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	4	*	4	*	4	*	4 * *
Total	9	*	9	*	9	*	4 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	41	*	41	*	41	*	0 * *
12 - 23 Months	23	*	23	*	23	*	0 * *
24 - 59 Months	26	*	26	*	26	*	26 * *
Total	90	*	90	*	90	*	26 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Amador
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 9
Run Date: 4/4/2012

State: California

County: 003

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	333	6.9	333	0.9	333	6.9	0	0.0 0.0
12 - 23 Months	181	2.8	181	2.2	181	9.9	0	0.0 0.0
24 - 59 Months	293	3.8	293	4.8	293	17.7	293	16.7 17.7
Total	807	4.8	807	2.6	807	11.5	293	16.7 17.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 10
Run Date: 4/4/2012

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	2,246	6.0	2,246	6.4	2,246	6.0	0	0.0 0.0
12 - 23 Months	1,155	2.9	1,155	1.6	1,155	12.5	0	0.0 0.0
24 - 59 Months	1,875	2.6	1,875	4.4	1,875	11.4	1,875	14.0 11.4
Total	5,276	4.1	5,276	4.6	5,276	9.3	1,875	14.0 11.4
Black, Not Hispanic								
0 - 11 Months	135	6.7	135	7.4	135	5.2	0	0.0 0.0
12 - 23 Months	81	*	81	*	81	*	0	* *
24 - 59 Months	159	4.4	159	2.5	159	13.2	159	20.8 13.2
Total	375	5.1	375	4.0	375	10.7	159	20.8 13.2
Hispanic								
0 - 11 Months	467	3.2	467	5.6	467	11.1	0	0.0 0.0
12 - 23 Months	320	2.2	320	0.3	320	17.2	0	0.0 0.0
24 - 59 Months	582	3.1	582	2.7	582	20.6	582	16.2 20.6
Total	1,369	2.9	1,369	3.1	1,369	16.6	582	16.2 20.6
American Indian/Alaska Native								
0 - 11 Months	68	*	68	*	68	*	0	* *
12 - 23 Months	38	*	38	*	38	*	0	* *
24 - 59 Months	71	*	71	*	71	*	71	* *
Total	177	2.8	177	4.5	177	12.4	71	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 11
Run Date: 4/4/2012

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	292	3.1	292	4.1	292	7.5	0	0.0 0.0
12 - 23 Months	151	6.0	151	0.7	151	13.9	0	0.0 0.0
24 - 59 Months	219	6.4	219	3.2	219	17.4	219	17.8 17.4
Total	662	4.8	662	3.0	662	12.2	219	17.8 17.4
Pacific Islander								
0 - 11 Months	11	*	11	*	11	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	10	*	10	*	10	*	10	* *
Total	28	*	28	*	28	*	10	* *
Filipino								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	7	*	7	*	7	*	7	* *
Total	18	*	18	*	18	*	7	* *
All Other								
0 - 11 Months	532	4.9	532	4.3	532	8.3	0	0.0 0.0
12 - 23 Months	244	3.7	244	2.5	244	13.1	0	0.0 0.0
24 - 59 Months	451	3.1	451	4.4	451	15.5	451	13.3 15.5
Total	1,227	4.0	1,227	4.0	1,227	11.9	451	13.3 15.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Butte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 12
Run Date: 4/4/2012

State: California

County: 004

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	3,758	5.2	3,758	5.8	3,758	7.1	0	0.0 0.0
12 - 23 Months	2,000	3.2	2,000	1.4	2,000	13.6	0	0.0 0.0
24 - 59 Months	3,374	3.1	3,374	4.0	3,374	14.1	3,374	15.0 14.1
Total	9,132	4.0	9,132	4.2	9,132	11.1	3,374	15.0 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 13
Run Date: 4/4/2012

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	151	6.6	151	13.2	151	6.0	0	0.0 0.0
12 - 23 Months	84	*	84	*	84	*	0	* *
24 - 59 Months	108	3.7	108	0.9	108	10.2	108	11.1 10.2
Total	343	4.4	343	6.4	343	8.7	108	11.1 10.2
Black, Not Hispanic								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	9	*	9	*	9	*	9	* *
Total	13	*	13	*	13	*	9	* *
Hispanic								
0 - 11 Months	179	6.1	179	2.2	179	10.1	0	0.0 0.0
12 - 23 Months	96	*	96	*	96	*	0	* *
24 - 59 Months	210	3.3	210	1.4	210	25.2	210	20.5 25.2
Total	485	4.7	485	1.6	485	20.4	210	20.5 25.2
American Indian/Alaska Native								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	8	*	8	*	8	*	3	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 14
Run Date: 4/4/2012

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	20	*	20	*	20	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	18	*	18	*	18	*	18	* *
Total	48	*	48	*	48	*	18	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
All Other								
0 - 11 Months	182	6.6	182	7.7	182	6.6	0	0.0 0.0
12 - 23 Months	128	0.8	128	2.3	128	7.8	0	0.0 0.0
24 - 59 Months	241	2.9	241	1.7	241	12.4	241	15.8 12.4
Total	551	3.6	551	3.8	551	9.4	241	15.8 12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Calaveras
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 15
Run Date: 4/4/2012

State: California

County: 005

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Total All Race/Ethnic Groups								
0 - 11 Months	540	6.5	540	7.2	540	7.6	0	0.0 0.0
12 - 23 Months	320	2.5	320	1.6	320	15.9	0	0.0 0.0
24 - 59 Months	589	3.1	589	1.9	589	17.0	589	16.8 17.0
Total	1,449	4.2	1,449	3.8	1,449	13.3	589	16.8 17.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 16
Run Date: 4/4/2012

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	5	*	5	*	5	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	7	*	7	*	7	*	1 * *
Black, Not Hispanic							
0 - 11 Months	7	*	7	*	7	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	8	*	8	*	8	*	0 * *
Hispanic							
0 - 11 Months	27	*	27	*	27	*	0 * *
12 - 23 Months	16	*	16	*	16	*	0 * *
24 - 59 Months	15	*	15	*	15	*	15 * *
Total	58	*	58	*	58	*	15 * *
American Indian/Alaska Native							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 17
Run Date: 4/4/2012

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	1	*	1	*	1	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	21	*	21	*	21	*	0 * *
12 - 23 Months	2	*	2	*	2	*	0 * *
24 - 59 Months	5	*	5	*	5	*	5 * *
Total	28	*	28	*	28	*	5 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
City Of Berkeley
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 18
Run Date: 4/4/2012

State: California

County: 059

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	61	*	61	*	61	*	0	* *
12 - 23 Months	20	*	20	*	20	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	102	7.8	102	6.9	102	9.8	21	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 19
Run Date: 4/4/2012

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	59	*	59	*	59	*	0	* *
12 - 23 Months	18	*	18	*	18	*	0	* *
24 - 59 Months	22	*	22	*	22	*	22	* *
Total	99	*	99	*	99	*	22	* *
Black, Not Hispanic								
0 - 11 Months	15	*	15	*	15	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	13	*	13	*	13	*	13	* *
Total	31	*	31	*	31	*	13	* *
Hispanic								
0 - 11 Months	428	4.0	428	6.3	428	7.2	0	0.0 0.0
12 - 23 Months	229	3.5	229	0.9	229	15.3	0	0.0 0.0
24 - 59 Months	300	4.0	300	4.7	300	16.7	300	18.0 16.7
Total	957	3.9	957	4.5	957	12.1	300	18.0 16.7
American Indian/Alaska Native								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	5	*	5	*	5	*	3	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 20
Run Date: 4/4/2012

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	7	*	7	*	7	*	1	* *
Pacific Islander								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	3	*	3	*	3	*	1	* *
All Other								
0 - 11 Months	120	2.5	120	3.3	120	5.0	0	0.0 0.0
12 - 23 Months	102	3.9	102	2.0	102	11.8	0	0.0 0.0
24 - 59 Months	116	2.6	116	4.3	116	12.1	116	18.1 12.1
Total	338	3.0	338	3.3	338	9.5	116	18.1 12.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Colusa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 21
Run Date: 4/4/2012

State: California

County: 006

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	630	3.2	630	5.6	630	7.1	0	0.0 0.0
12 - 23 Months	355	3.7	355	1.1	355	14.6	0	0.0 0.0
24 - 59 Months	457	3.3	457	4.8	457	15.1	457	17.1 15.1
Total	1,442	3.3	1,442	4.2	1,442	11.5	457	17.1 15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 22
Run Date: 4/4/2012

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	755	3.8	755	8.9	755	6.9	0	0.0 0.0
12 - 23 Months	297	2.4	297	1.7	297	12.8	0	0.0 0.0
24 - 59 Months	377	3.4	377	4.5	377	10.9	377	12.5 10.9
Total	1,429	3.4	1,429	6.2	1,429	9.2	377	12.5 10.9
Black, Not Hispanic								
0 - 11 Months	699	9.3	699	9.3	699	8.7	0	0.0 0.0
12 - 23 Months	262	4.6	262	3.4	262	14.1	0	0.0 0.0
24 - 59 Months	379	3.7	379	3.7	379	11.6	379	17.4 11.6
Total	1,340	6.8	1,340	6.6	1,340	10.6	379	17.4 11.6
Hispanic								
0 - 11 Months	2,914	4.2	2,914	7.9	2,914	6.6	0	0.0 0.0
12 - 23 Months	1,391	3.0	1,391	2.0	1,391	11.5	0	0.0 0.0
24 - 59 Months	1,962	3.2	1,962	4.5	1,962	16.7	1,962	16.9 16.7
Total	6,267	3.6	6,267	5.5	6,267	10.9	1,962	16.9 16.7
American Indian/Alaska Native								
0 - 11 Months	8	*	8	*	8	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	16	*	16	*	16	*	3	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 23
Run Date: 4/4/2012

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	95	*	95	*	95	*	0	* *
12 - 23 Months	44	*	44	*	44	*	0	* *
24 - 59 Months	61	*	61	*	61	*	61	* *
Total	200	3.5	200	10.5	200	7.0	61	* *
Pacific Islander								
0 - 11 Months	53	*	53	*	53	*	0	* *
12 - 23 Months	18	*	18	*	18	*	0	* *
24 - 59 Months	29	*	29	*	29	*	29	* *
Total	100	2.0	100	6.0	100	16.0	29	* *
Filipino								
0 - 11 Months	86	*	86	*	86	*	0	* *
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	41	*	41	*	41	*	41	* *
Total	158	7.6	158	7.0	158	3.8	41	* *
All Other								
0 - 11 Months	1,541	6.7	1,541	8.0	1,541	7.5	0	0.0 0.0
12 - 23 Months	424	4.5	424	1.2	424	9.0	0	0.0 0.0
24 - 59 Months	526	4.4	526	5.3	526	13.5	526	14.1 13.5
Total	2,491	5.9	2,491	6.3	2,491	9.0	526	14.1 13.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Contra Costa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 24
Run Date: 4/4/2012

State: California

County: 007

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	6,151	5.3	6,151	8.3	6,151	7.0	0	0.0 0.0
12 - 23 Months	2,472	3.4	2,472	1.9	2,472	11.5	0	0.0 0.0
24 - 59 Months	3,378	3.7	3,378	4.7	3,378	14.8	3,378	16.0 14.8
Total	12,001	4.4	12,001	6.0	12,001	10.1	3,378	16.0 14.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 25
Run Date: 4/4/2012

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	116	6.9	116	9.5	116	8.6	0	0.0 0.0
12 - 23 Months	54	*	54	*	54	*	0	* *
24 - 59 Months	173	1.7	173	1.2	173	13.9	173	16.8 13.9
Total	343	3.8	343	4.1	343	14.0	173	16.8 13.9
Black, Not Hispanic								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Hispanic								
0 - 11 Months	34	*	34	*	34	*	0	* *
12 - 23 Months	23	*	23	*	23	*	0	* *
24 - 59 Months	57	*	57	*	57	*	57	* *
Total	114	1.8	114	3.5	114	21.1	57	* *
American Indian/Alaska Native								
0 - 11 Months	47	*	47	*	47	*	0	* *
12 - 23 Months	33	*	33	*	33	*	0	* *
24 - 59 Months	54	*	54	*	54	*	54	* *
Total	134	2.2	134	3.7	134	20.9	54	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 26
Run Date: 4/4/2012

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	18	*	18	*	18	*	0 * *
12 - 23 Months	16	*	16	*	16	*	0 * *
24 - 59 Months	20	*	20	*	20	*	20 * *
Total	54	*	54	*	54	*	20 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	16	*	16	*	16	*	0 * *
12 - 23 Months	13	*	13	*	13	*	0 * *
24 - 59 Months	17	*	17	*	17	*	17 * *
Total	46	*	46	*	46	*	17 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Del Norte
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 27
Run Date: 4/4/2012

State: California

County: 008

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	231	5.6	231	8.7	231	9.1	0	0.0 0.0
12 - 23 Months	139	4.3	139	1.4	139	29.5	0	0.0 0.0
24 - 59 Months	321	3.1	321	1.6	321	16.5	321	20.9 16.5
Total	691	4.2	691	3.9	691	16.6	321	20.9 16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 28
Run Date: 4/4/2012

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	615	5.4	615	12.5	615	4.7	0	0.0 0.0
12 - 23 Months	234	2.6	234	2.1	234	6.4	0	0.0 0.0
24 - 59 Months	385	3.4	385	5.7	385	11.4	385	15.1 11.4
Total	1,234	4.2	1,234	8.4	1,234	7.1	385	15.1 11.4
Black, Not Hispanic								
0 - 11 Months	14	*	14	*	14	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	7	*	7	*	7	*	7	* *
Total	23	*	23	*	23	*	7	* *
Hispanic								
0 - 11 Months	466	4.1	466	9.4	466	6.2	0	0.0 0.0
12 - 23 Months	243	2.5	243	0.4	243	7.8	0	0.0 0.0
24 - 59 Months	357	3.6	357	4.5	357	12.3	357	16.5 12.3
Total	1,066	3.6	1,066	5.7	1,066	8.6	357	16.5 12.3
American Indian/Alaska Native								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	5	*	5	*	5	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 29
Run Date: 4/4/2012

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	10	*	10	*	10	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	18	*	18	*	18	*	4	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	7	*	7	*	7	*	1	* *
All Other								
0 - 11 Months	320	6.3	320	12.8	320	6.6	0	0.0 0.0
12 - 23 Months	147	6.1	147	3.4	147	6.1	0	0.0 0.0
24 - 59 Months	217	6.5	217	8.3	217	11.1	217	15.2 11.1
Total	684	6.3	684	9.4	684	7.9	217	15.2 11.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
El Dorado
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 30
Run Date: 4/4/2012

State: California

County: 009

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,432	5.2	1,432	11.5	1,432	5.7	0	0.0
12 - 23 Months	633	3.3	633	1.7	633	7.0	0	0.0
24 - 59 Months	972	4.1	972	6.0	972	11.8	972	15.6
Total	3,037	4.4	3,037	7.7	3,037	7.9	972	15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 31
Run Date: 4/4/2012

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	3,296	8.5	3,296	4.3	3,296	10.8	0	0.0 0.0
12 - 23 Months	1,297	5.3	1,297	0.8	1,297	18.7	0	0.0 0.0
24 - 59 Months	1,958	3.8	1,958	4.0	1,958	15.7	1,958	17.0 15.7
Total	6,551	6.5	6,551	3.5	6,551	13.9	1,958	17.0 15.7
Black, Not Hispanic								
0 - 11 Months	1,211	13.5	1,211	4.5	1,211	12.2	0	0.0 0.0
12 - 23 Months	594	8.6	594	1.3	594	16.5	0	0.0 0.0
24 - 59 Months	1,051	2.9	1,051	4.8	1,051	15.5	1,051	15.0 15.5
Total	2,856	8.6	2,856	3.9	2,856	14.3	1,051	15.0 15.5
Hispanic								
0 - 11 Months	15,914	7.8	15,914	4.3	15,914	10.0	0	0.0 0.0
12 - 23 Months	7,539	5.7	7,539	0.9	7,539	18.5	0	0.0 0.0
24 - 59 Months	13,511	3.9	13,511	3.3	13,511	19.6	13,511	16.9 19.6
Total	36,964	5.9	36,964	3.2	36,964	15.2	13,511	16.9 19.6
American Indian/Alaska Native								
0 - 11 Months	70	*	70	*	70	*	0	* *
12 - 23 Months	40	*	40	*	40	*	0	* *
24 - 59 Months	79	*	79	*	79	*	79	* *
Total	189	3.7	189	3.7	189	21.2	79	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 32
Run Date: 4/4/2012

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	958	9.3	958	4.8	958	10.6	0	0.0 0.0
12 - 23 Months	252	11.5	252	1.2	252	15.5	0	0.0 0.0
24 - 59 Months	399	6.8	399	7.0	399	13.5	399	11.5 13.5
Total	1,609	9.0	1,609	4.8	1,609	12.1	399	11.5 13.5
Pacific Islander								
0 - 11 Months	54	*	54	*	54	*	0	* *
12 - 23 Months	21	*	21	*	21	*	0	* *
24 - 59 Months	57	*	57	*	57	*	57	* *
Total	132	7.6	132	4.5	132	15.9	57	* *
Filipino								
0 - 11 Months	19	*	19	*	19	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	34	*	34	*	34	*	8	* *
All Other								
0 - 11 Months	3,518	7.5	3,518	6.2	3,518	8.5	0	0.0 0.0
12 - 23 Months	1,410	6.6	1,410	1.4	1,410	17.2	0	0.0 0.0
24 - 59 Months	2,283	5.8	2,283	5.6	2,283	16.1	2,283	15.5 16.1
Total	7,211	6.8	7,211	5.0	7,211	12.6	2,283	15.5 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Fresno
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 33
Run Date: 4/4/2012

State: California

County: 010

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	25,040	8.2	25,040	4.6	25,040	10.0	0	0.0 0.0
12 - 23 Months	11,160	6.0	11,160	1.0	11,160	18.3	0	0.0 0.0
24 - 59 Months	19,346	4.1	19,346	3.8	19,346	18.5	19,346	16.5 18.5
Total	55,546	6.3	55,546	3.6	55,546	14.6	19,346	16.5 18.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 34
Run Date: 4/4/2012

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	192	2.6	192	7.3	192	7.8	0	0.0 0.0
12 - 23 Months	124	0.8	124	1.6	124	12.1	0	0.0 0.0
24 - 59 Months	178	2.2	178	7.9	178	14.0	178	10.1 14.0
Total	494	2.0	494	6.1	494	11.1	178	10.1 14.0
Black, Not Hispanic								
0 - 11 Months	11	*	11	*	11	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	19	*	19	*	19	*	3	* *
Hispanic								
0 - 11 Months	400	2.3	400	4.0	400	11.3	0	0.0 0.0
12 - 23 Months	247	3.6	247	0.8	247	17.8	0	0.0 0.0
24 - 59 Months	343	2.3	343	3.2	343	15.5	343	15.5 15.5
Total	990	2.6	990	2.9	990	14.3	343	15.5 15.5
American Indian/Alaska Native								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	10	*	10	*	10	*	3	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 35
Run Date: 4/4/2012

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	9	*	9	*	9	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	28	*	28	*	28	*	12	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	130	6.2	130	5.4	130	9.2	0	0.0 0.0
12 - 23 Months	78	*	78	*	78	*	0	* *
24 - 59 Months	75	*	75	*	75	*	75	* *
Total	283	4.2	283	2.5	283	12.7	75	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Glenn
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 36
Run Date: 4/4/2012

State: California

County: 011

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	746	3.4	746	5.0	746	9.8	0	0.0 0.0
12 - 23 Months	464	3.0	464	0.9	464	16.6	0	0.0 0.0
24 - 59 Months	614	2.3	614	4.1	614	14.5	614	14.3 14.5
Total	1,824	2.9	1,824	3.6	1,824	13.1	614	14.3 14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 37
Run Date: 4/4/2012

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	795	6.4	795	4.5	795	9.4	0	0.0 0.0
12 - 23 Months	383	6.3	383	1.0	383	13.1	0	0.0 0.0
24 - 59 Months	424	3.3	424	5.2	424	11.6	424	14.6 11.6
Total	1,602	5.6	1,602	3.9	1,602	10.9	424	14.6 11.6
Black, Not Hispanic								
0 - 11 Months	10	*	10	*	10	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	11	*	11	*	11	*	11	* *
Total	31	*	31	*	31	*	11	* *
Hispanic								
0 - 11 Months	226	4.9	226	1.3	226	8.4	0	0.0 0.0
12 - 23 Months	114	3.5	114	0.9	114	12.3	0	0.0 0.0
24 - 59 Months	155	5.8	155	2.6	155	18.7	155	21.9 18.7
Total	495	4.8	495	1.6	495	12.5	155	21.9 18.7
American Indian/Alaska Native								
0 - 11 Months	120	5.0	120	5.8	120	9.2	0	0.0 0.0
12 - 23 Months	76	*	76	*	76	*	0	* *
24 - 59 Months	116	3.4	116	1.7	116	35.3	116	18.1 35.3
Total	312	5.1	312	2.9	312	25.3	116	18.1 35.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 38
Run Date: 4/4/2012

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	19	*	19	*	19	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	49	*	49	*	49	*	21	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	3	*	3	*	3	*	1	* *
Filipino								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	6	*	6	*	6	*	1	* *
All Other								
0 - 11 Months	753	8.1	753	4.8	753	7.7	0	0.0 0.0
12 - 23 Months	387	4.9	387	1.0	387	14.7	0	0.0 0.0
24 - 59 Months	645	5.0	645	2.2	645	14.6	645	17.4 14.6
Total	1,785	6.3	1,785	3.0	1,785	11.7	645	17.4 14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Humboldt
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 39
Run Date: 4/4/2012

State: California

County: 012

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,926	6.8	1,926	4.3	1,926	8.6	0	0.0 0.0
12 - 23 Months	983	5.4	983	1.1	983	15.4	0	0.0 0.0
24 - 59 Months	1,374	4.4	1,374	3.1	1,374	16.0	1,374	17.1 16.0
Total	4,283	5.7	4,283	3.2	4,283	12.5	1,374	17.1 16.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 40
Run Date: 4/4/2012

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	63	*	63	*	63	*	0	* *
12 - 23 Months	26	*	26	*	26	*	0	* *
24 - 59 Months	48	*	48	*	48	*	48	* *
Total	137	5.8	137	3.6	137	9.5	48	* *
Black, Not Hispanic								
0 - 11 Months	12	*	12	*	12	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	14	*	14	*	14	*	14	* *
Total	31	*	31	*	31	*	14	* *
Hispanic								
0 - 11 Months	3,885	3.8	3,885	4.4	3,885	8.5	0	0.0 0.0
12 - 23 Months	1,978	2.7	1,978	1.1	1,978	17.8	0	0.0 0.0
24 - 59 Months	3,419	2.1	3,419	4.5	3,419	15.9	3,419	14.2 15.9
Total	9,282	2.9	9,282	3.7	9,282	13.3	3,419	14.2 15.9
American Indian/Alaska Native								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	8	*	8	*	8	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 41
Run Date: 4/4/2012

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	8	*	8	*	8	*	2	* *
Pacific Islander								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *
All Other								
0 - 11 Months	102	6.9	102	2.9	102	9.8	0	0.0 0.0
12 - 23 Months	35	*	35	*	35	*	0	* *
24 - 59 Months	95	*	95	*	95	*	95	* *
Total	232	5.2	232	3.4	232	12.9	95	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Imperial
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 42
Run Date: 4/4/2012

State: California

County: 013

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	4,070	3.9	4,070	4.3	4,070	8.6	0	0.0 0.0
12 - 23 Months	2,048	2.8	2,048	1.1	2,048	17.9	0	0.0 0.0
24 - 59 Months	3,583	2.3	3,583	4.5	3,583	15.7	3,583	14.2 15.7
Total	9,701	3.1	9,701	3.7	9,701	13.2	3,583	14.2 15.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 43
Run Date: 4/4/2012

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	58	*	58	*	58	*	0	* *
12 - 23 Months	39	*	39	*	39	*	0	* *
24 - 59 Months	34	*	34	*	34	*	34	* *
Total	131	6.1	131	4.6	131	7.6	34	* *
Black, Not Hispanic								
0 - 11 Months	9	*	9	*	9	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	15	*	15	*	15	*	4	* *
Hispanic								
0 - 11 Months	115	6.1	115	0.9	115	19.1	0	0.0 0.0
12 - 23 Months	62	*	62	*	62	*	0	* *
24 - 59 Months	102	3.9	102	3.9	102	15.7	102	16.7 15.7
Total	279	5.4	279	1.8	279	19.0	102	16.7 15.7
American Indian/Alaska Native								
0 - 11 Months	29	*	29	*	29	*	0	* *
12 - 23 Months	21	*	21	*	21	*	0	* *
24 - 59 Months	39	*	39	*	39	*	39	* *
Total	89	*	89	*	89	*	39	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 44
Run Date: 4/4/2012

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	1	*	1	*	1	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	3	*	3	*	3	*	0 * *
24 - 59 Months	5	*	5	*	5	*	5 * *
Total	12	*	12	*	12	*	5 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Inyo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 45
Run Date: 4/4/2012

State: California

County: 014

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	216	6.5	216	2.8	216	14.4	0	0.0 0.0
12 - 23 Months	127	6.3	127	0.8	127	20.5	0	0.0 0.0
24 - 59 Months	184	4.9	184	3.8	184	14.7	184	15.8 14.7
Total	527	5.9	527	2.7	527	15.9	184	15.8 14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 46
Run Date: 4/4/2012

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	2,552	7.4	2,552	7.3	2,552	9.0	0	0.0 0.0
12 - 23 Months	1,020	5.4	1,020	0.4	1,020	15.3	0	0.0 0.0
24 - 59 Months	1,740	4.2	1,740	6.0	1,740	12.2	1,740	14.5 12.2
Total	5,312	6.0	5,312	5.5	5,312	11.3	1,740	14.5 12.2
Black, Not Hispanic								
0 - 11 Months	951	10.6	951	8.0	951	9.6	0	0.0 0.0
12 - 23 Months	393	5.1	393	2.0	393	13.7	0	0.0 0.0
24 - 59 Months	863	2.3	863	7.3	863	9.2	863	12.7 9.2
Total	2,207	6.4	2,207	6.7	2,207	10.1	863	12.7 9.2
Hispanic								
0 - 11 Months	13,718	6.6	13,718	4.8	13,718	11.5	0	0.0 0.0
12 - 23 Months	6,313	4.9	6,313	0.8	6,313	20.0	0	0.0 0.0
24 - 59 Months	11,593	2.9	11,593	4.8	11,593	17.7	11,593	16.1 17.7
Total	31,624	4.9	31,624	4.0	31,624	15.5	11,593	16.1 17.7
American Indian/Alaska Native								
0 - 11 Months	27	*	27	*	27	*	0	* *
12 - 23 Months	8	*	8	*	8	*	0	* *
24 - 59 Months	14	*	14	*	14	*	14	* *
Total	49	*	49	*	49	*	14	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 47
Run Date: 4/4/2012

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	61	*	61	*	61	*	0	* *
12 - 23 Months	26	*	26	*	26	*	0	* *
24 - 59 Months	47	*	47	*	47	*	47	* *
Total	134	5.2	134	11.2	134	5.2	47	* *
Pacific Islander								
0 - 11 Months	25	*	25	*	25	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	23	*	23	*	23	*	23	* *
Total	59	*	59	*	59	*	23	* *
Filipino								
0 - 11 Months	23	*	23	*	23	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	32	*	32	*	32	*	32	* *
Total	65	*	65	*	65	*	32	* *
All Other								
0 - 11 Months	1,690	5.8	1,690	5.7	1,690	7.3	0	0.0 0.0
12 - 23 Months	814	4.2	814	0.9	814	17.4	0	0.0 0.0
24 - 59 Months	1,253	2.9	1,253	7.4	1,253	14.1	1,253	14.6 14.1
Total	3,757	4.5	3,757	5.2	3,757	11.8	1,253	14.6 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kern
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 48
Run Date: 4/4/2012

State: California

County: 015

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	19,047	6.8	19,047	5.4	19,047	10.7	0	0.0 0.0
12 - 23 Months	8,595	4.9	8,595	0.8	8,595	18.9	0	0.0 0.0
24 - 59 Months	15,565	3.0	15,565	5.3	15,565	16.3	15,565	15.6 16.3
Total	43,207	5.1	43,207	4.5	43,207	14.3	15,565	15.6 16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 49
Run Date: 4/4/2012

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	162	6.2	162	4.3	162	13.0	0	0.0 0.0
12 - 23 Months	84	*	84	*	84	*	0	* *
24 - 59 Months	117	3.4	117	6.0	117	13.7	117	11.1 13.7
Total	363	6.1	363	3.9	363	17.9	117	11.1 13.7
Black, Not Hispanic								
0 - 11 Months	50	*	50	*	50	*	0	* *
12 - 23 Months	26	*	26	*	26	*	0	* *
24 - 59 Months	47	*	47	*	47	*	47	* *
Total	123	6.5	123	4.9	123	10.6	47	* *
Hispanic								
0 - 11 Months	1,589	7.0	1,589	3.0	1,589	12.3	0	0.0 0.0
12 - 23 Months	787	6.0	787	0.5	787	24.4	0	0.0 0.0
24 - 59 Months	1,284	2.6	1,284	3.3	1,284	21.7	1,284	16.6 21.7
Total	3,660	5.2	3,660	2.5	3,660	18.2	1,284	16.6 21.7
American Indian/Alaska Native								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	16	*	16	*	16	*	8	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 50
Run Date: 4/4/2012

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	15	*	15	*	15	*	8	* *
Pacific Islander								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	4	*	4	*	4	*	2	* *
Filipino								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	5	*	5	*	5	*	3	* *
All Other								
0 - 11 Months	521	8.1	521	3.8	521	13.1	0	0.0 0.0
12 - 23 Months	215	8.8	215	0.5	215	29.3	0	0.0 0.0
24 - 59 Months	333	6.9	333	5.1	333	19.5	333	19.8 19.5
Total	1,069	7.9	1,069	3.6	1,069	18.3	333	19.8 19.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Kings
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 51
Run Date: 4/4/2012

State: California

County: 016

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	2,335	7.2	2,335	3.3	2,335	12.4	0	0.0 0.0
12 - 23 Months	1,118	6.9	1,118	0.4	1,118	25.8	0	0.0 0.0
24 - 59 Months	1,802	3.3	1,802	3.9	1,802	20.5	1,802	16.6 20.5
Total	5,255	5.8	5,255	2.9	5,255	18.0	1,802	16.6 20.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 52
Run Date: 4/4/2012

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	505	8.1	505	5.0	505	10.1	0	0.0 0.0
12 - 23 Months	63	*	63	*	63	*	0	* *
24 - 59 Months	124	1.6	124	6.5	124	14.5	124	12.9 14.5
Total	692	6.9	692	4.8	692	11.4	124	12.9 14.5
Black, Not Hispanic								
0 - 11 Months	463	12.5	463	4.5	463	11.7	0	0.0 0.0
12 - 23 Months	70	*	70	*	70	*	0	* *
24 - 59 Months	113	5.3	113	5.3	113	11.5	113	10.6 11.5
Total	646	10.8	646	4.2	646	11.9	113	10.6 11.5
Hispanic								
0 - 11 Months	25,533	7.5	25,533	3.6	25,533	13.5	0	0.0 0.0
12 - 23 Months	4,023	5.2	4,023	0.6	4,023	21.9	0	0.0 0.0
24 - 59 Months	7,304	3.4	7,304	4.1	7,304	18.1	7,304	16.6 18.1
Total	36,860	6.5	36,860	3.4	36,860	15.4	7,304	16.6 18.1
American Indian/Alaska Native								
0 - 11 Months	21	*	21	*	21	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	29	*	29	*	29	*	6	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 53
Run Date: 4/4/2012

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	1,068	7.0	1,068	4.9	1,068	11.4	0	0.0 0.0
12 - 23 Months	103	5.8	103	0.0	103	11.7	0	0.0 0.0
24 - 59 Months	211	1.4	211	7.1	211	10.4	211	10.0 10.4
Total	1,382	6.1	1,382	4.8	1,382	11.3	211	10.0 10.4
Pacific Islander								
0 - 11 Months	12	*	12	*	12	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	15	*	15	*	15	*	1	* *
Filipino								
0 - 11 Months	132	10.6	132	5.3	132	11.4	0	0.0 0.0
12 - 23 Months	24	*	24	*	24	*	0	* *
24 - 59 Months	32	*	32	*	32	*	32	* *
Total	188	9.0	188	5.9	188	10.1	32	* *
All Other								
0 - 11 Months	2,626	6.9	2,626	4.2	2,626	10.3	0	0.0 0.0
12 - 23 Months	362	5.2	362	0.6	362	21.0	0	0.0 0.0
24 - 59 Months	488	5.9	488	4.3	488	13.3	488	13.5 13.3
Total	3,476	6.6	3,476	3.8	3,476	11.9	488	13.5 13.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. East
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 54
Run Date: 4/4/2012

State: California

County: 095

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	30,360	7.6	30,360	3.7	30,360	13.1	0	0.0 0.0
12 - 23 Months	4,649	5.3	4,649	0.6	4,649	21.3	0	0.0 0.0
24 - 59 Months	8,279	3.5	8,279	4.3	8,279	17.4	8,279	16.1 17.4
Total	43,288	6.6	43,288	3.5	43,288	14.8	8,279	16.1 17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 55
Run Date: 4/4/2012

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,088	5.8	1,088	7.4	1,088	6.9	0	0.0 0.0
12 - 23 Months	151	2.6	151	1.3	151	12.6	0	0.0 0.0
24 - 59 Months	231	4.8	231	5.2	231	12.1	231	15.2 12.1
Total	1,470	5.3	1,470	6.5	1,470	8.3	231	15.2 12.1
Black, Not Hispanic								
0 - 11 Months	499	23.2	499	4.8	499	24.0	0	0.0 0.0
12 - 23 Months	80	*	80	*	80	*	0	* *
24 - 59 Months	185	3.8	185	11.4	185	8.6	185	9.2 8.6
Total	764	17.0	764	5.9	764	20.3	185	9.2 8.6
Hispanic								
0 - 11 Months	10,490	8.2	10,490	5.1	10,490	13.3	0	0.0 0.0
12 - 23 Months	1,518	5.3	1,518	0.6	1,518	22.4	0	0.0 0.0
24 - 59 Months	2,848	2.9	2,848	4.2	2,848	19.0	2,848	15.8 19.0
Total	14,856	6.9	14,856	4.5	14,856	15.3	2,848	15.8 19.0
American Indian/Alaska Native								
0 - 11 Months	20	*	20	*	20	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	25	*	25	*	25	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 56
Run Date: 4/4/2012

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Asian								
0 - 11 Months	117	6.8	117	6.0	117	11.1	0	0.0 0.0
12 - 23 Months	22	*	22	*	22	*	0	* *
24 - 59 Months	46	*	46	*	46	*	46	* *
Total	185	4.9	185	4.3	185	13.5	46	* *
Pacific Islander								
0 - 11 Months	13	*	13	*	13	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	20	*	20	*	20	*	4	* *
Filipino								
0 - 11 Months	95	*	95	*	95	*	0	* *
12 - 23 Months	15	*	15	*	15	*	0	* *
24 - 59 Months	18	*	18	*	18	*	18	* *
Total	128	15.6	128	10.9	128	10.2	18	* *
All Other								
0 - 11 Months	4,098	9.1	4,098	3.8	4,098	10.9	0	0.0 0.0
12 - 23 Months	470	5.7	470	0.2	470	17.9	0	0.0 0.0
24 - 59 Months	650	5.7	650	4.2	650	17.1	650	14.8 17.1
Total	5,218	8.3	5,218	3.5	5,218	12.3	650	14.8 17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. North
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 57
Run Date: 4/4/2012

State: California

County: 094

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	16,420	8.8	16,420	4.9	16,420	12.6	0	0.0 0.0
12 - 23 Months	2,260	5.4	2,260	0.6	2,260	20.7	0	0.0 0.0
24 - 59 Months	3,986	3.5	3,986	4.6	3,986	17.8	3,986	15.2 17.8
Total	22,666	7.5	22,666	4.5	22,666	14.3	3,986	15.2 17.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 58
Run Date: 4/4/2012

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,940	6.4	1,940	4.2	1,940	8.7	0	0.0 0.0
12 - 23 Months	1,462	4.5	1,462	1.5	1,462	15.7	0	0.0 0.0
24 - 59 Months	2,188	2.8	2,188	5.1	2,188	13.4	2,188	14.7 13.4
Total	5,590	4.5	5,590	3.8	5,590	12.4	2,188	14.7 13.4
Black, Not Hispanic								
0 - 11 Months	3,596	10.2	3,596	5.0	3,596	11.4	0	0.0 0.0
12 - 23 Months	2,680	6.3	2,680	1.4	2,680	17.2	0	0.0 0.0
24 - 59 Months	4,428	2.8	4,428	5.5	4,428	14.1	4,428	16.0 14.1
Total	10,704	6.2	10,704	4.3	10,704	14.0	4,428	16.0 14.1
Hispanic								
0 - 11 Months	40,028	7.2	40,028	3.0	40,028	12.7	0	0.0 0.0
12 - 23 Months	32,298	5.4	32,298	1.1	32,298	20.6	0	0.0 0.0
24 - 59 Months	57,065	2.8	57,065	3.3	57,065	20.2	57,065	17.0 20.2
Total	129,391	4.8	129,391	2.7	129,391	18.0	57,065	17.0 20.2
American Indian/Alaska Native								
0 - 11 Months	28	*	28	*	28	*	0	* *
12 - 23 Months	13	*	13	*	13	*	0	* *
24 - 59 Months	23	*	23	*	23	*	23	* *
Total	64	*	64	*	64	*	23	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 59
Run Date: 4/4/2012

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	1,175	6.5	1,175	4.6	1,175	8.2	0	0.0 0.0
12 - 23 Months	1,041	3.9	1,041	1.7	1,041	9.1	0	0.0 0.0
24 - 59 Months	1,816	2.4	1,816	6.7	1,816	10.0	1,816	10.5 10.0
Total	4,032	4.0	4,032	4.8	4,032	9.3	1,816	10.5 10.0
Pacific Islander								
0 - 11 Months	233	9.9	233	4.7	233	9.9	0	0.0 0.0
12 - 23 Months	207	5.3	207	1.9	207	16.4	0	0.0 0.0
24 - 59 Months	302	4.6	302	2.3	302	21.5	302	15.6 21.5
Total	742	6.5	742	3.0	742	16.4	302	15.6 21.5
Filipino								
0 - 11 Months	191	6.3	191	4.2	191	9.9	0	0.0 0.0
12 - 23 Months	169	7.1	169	1.2	169	16.0	0	0.0 0.0
24 - 59 Months	179	2.8	179	3.9	179	15.1	179	11.7 15.1
Total	539	5.4	539	3.2	539	13.5	179	11.7 15.1
All Other								
0 - 11 Months	4,330	8.8	4,330	4.1	4,330	10.6	0	0.0 0.0
12 - 23 Months	2,833	6.1	2,833	1.3	2,833	16.6	0	0.0 0.0
24 - 59 Months	4,365	3.8	4,365	4.9	4,365	17.1	4,365	16.1 17.1
Total	11,528	6.2	11,528	3.7	11,528	14.6	4,365	16.1 17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. Other
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 60
Run Date: 4/4/2012

State: California

County: 097

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	51,521	7.5	51,521	3.4	51,521	12.2	0	0.0 0.0
12 - 23 Months	40,703	5.5	40,703	1.2	40,703	19.6	0	0.0 0.0
24 - 59 Months	70,366	2.9	70,366	3.7	70,366	19.2	70,366	16.6 19.2
Total	162,590	5.0	162,590	3.0	162,590	17.1	70,366	16.6 19.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 61
Run Date: 4/4/2012

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	371	5.4	371	11.3	371	7.0	0	0.0 0.0
12 - 23 Months	51	*	51	*	51	*	0	* *
24 - 59 Months	123	8.9	123	4.9	123	12.2	123	14.6 12.2
Total	545	6.2	545	9.0	545	9.0	123	14.6 12.2
Black, Not Hispanic								
0 - 11 Months	3,721	14.1	3,721	4.9	3,721	13.2	0	0.0 0.0
12 - 23 Months	503	8.5	503	1.8	503	20.1	0	0.0 0.0
24 - 59 Months	721	5.3	721	5.1	721	13.3	721	12.9 13.3
Total	4,945	12.2	4,945	4.6	4,945	14.0	721	12.9 13.3
Hispanic								
0 - 11 Months	23,389	8.5	23,389	3.3	23,389	15.0	0	0.0 0.0
12 - 23 Months	3,528	7.6	3,528	0.9	3,528	23.8	0	0.0 0.0
24 - 59 Months	6,462	3.9	6,462	3.2	6,462	19.4	6,462	17.0 19.4
Total	33,379	7.5	33,379	3.0	33,379	16.8	6,462	17.0 19.4
American Indian/Alaska Native								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	16	*	16	*	16	*	6	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 62
Run Date: 4/4/2012

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Asian								
0 - 11 Months	445	4.7	445	3.1	445	11.0	0	0.0
12 - 23 Months	94	*	94	*	94	*	0	*
24 - 59 Months	164	3.0	164	3.0	164	4.3	164	15.2
Total	703	4.8	703	2.7	703	10.2	164	15.2
Pacific Islander								
0 - 11 Months	42	*	42	*	42	*	0	*
12 - 23 Months	14	*	14	*	14	*	0	*
24 - 59 Months	20	*	20	*	20	*	20	*
Total	76	*	76	*	76	*	20	*
Filipino								
0 - 11 Months	106	9.4	106	1.9	106	5.7	0	0.0
12 - 23 Months	24	*	24	*	24	*	0	*
24 - 59 Months	46	*	46	*	46	*	46	*
Total	176	8.0	176	1.7	176	7.4	46	*
All Other								
0 - 11 Months	2,219	8.3	2,219	5.8	2,219	10.7	0	0.0
12 - 23 Months	293	7.8	293	0.7	293	16.7	0	0.0
24 - 59 Months	493	4.9	493	8.9	493	16.2	493	15.4
Total	3,005	7.7	3,005	5.8	3,005	12.2	493	15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. South
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 63
Run Date: 4/4/2012

State: California

County: 096

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	30,300	9.1	30,300	3.8	30,300	14.3	0	0.0 0.0
12 - 23 Months	4,510	7.7	4,510	1.0	4,510	22.6	0	0.0 0.0
24 - 59 Months	8,035	4.2	8,035	3.8	8,035	18.2	8,035	16.4 18.2
Total	42,845	8.0	42,845	3.5	42,845	15.9	8,035	16.4 18.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 64
Run Date: 4/4/2012

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	225	5.3	225	5.8	225	8.0	0	0.0 0.0
12 - 23 Months	16	*	16	*	16	*	0	* *
24 - 59 Months	43	*	43	*	43	*	43	* *
Total	284	6.3	284	4.9	284	7.7	43	* *
Black, Not Hispanic								
0 - 11 Months	384	12.2	384	3.9	384	13.0	0	0.0 0.0
12 - 23 Months	73	*	73	*	73	*	0	* *
24 - 59 Months	152	1.3	152	1.3	152	13.2	152	23.0 13.2
Total	609	9.0	609	2.8	609	13.1	152	23.0 13.2
Hispanic								
0 - 11 Months	1,604	7.5	1,604	4.2	1,604	13.9	0	0.0 0.0
12 - 23 Months	311	5.5	311	0.0	311	21.2	0	0.0 0.0
24 - 59 Months	551	4.5	551	2.0	551	23.4	551	15.6 23.4
Total	2,466	6.6	2,466	3.2	2,466	17.0	551	15.6 23.4
American Indian/Alaska Native								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	7	*	7	*	7	*	0	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 65
Run Date: 4/4/2012

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	74	*	74	*	74	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	16	*	16	*	16	*	16	* *
Total	101	5.9	101	2.0	101	9.9	16	* *
Pacific Islander								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	13	*	13	*	13	*	3	* *
Filipino								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	9	*	9	*	9	*	9	* *
Total	34	*	34	*	34	*	9	* *
All Other								
0 - 11 Months	213	8.0	213	3.3	213	9.4	0	0.0 0.0
12 - 23 Months	23	*	23	*	23	*	0	* *
24 - 59 Months	46	*	46	*	46	*	46	* *
Total	282	6.4	282	3.9	282	11.7	46	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
L.A. West
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 66
Run Date: 4/4/2012

State: California

County: 093

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	2,532	7.9	2,532	4.2	2,532	13.0	0	0.0 0.0
12 - 23 Months	444	6.3	444	0.2	444	18.7	0	0.0 0.0
24 - 59 Months	820	3.8	820	2.1	820	20.4	820	17.2 20.4
Total	3,796	6.8	3,796	3.3	3,796	15.2	820	17.2 20.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 67
Run Date: 4/4/2012

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	140	5.7	140	5.0	140	10.7	0	0.0 0.0
12 - 23 Months	105	8.6	105	1.0	105	14.3	0	0.0 0.0
24 - 59 Months	141	2.8	141	7.8	141	10.6	141	15.6 10.6
Total	386	5.4	386	4.9	386	11.7	141	15.6 10.6
Black, Not Hispanic								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	9	*	9	*	9	*	9	* *
Total	18	*	18	*	18	*	9	* *
Hispanic								
0 - 11 Months	107	11.2	107	1.9	107	15.0	0	0.0 0.0
12 - 23 Months	70	*	70	*	70	*	0	* *
24 - 59 Months	98	*	98	*	98	*	98	* *
Total	275	6.5	275	2.9	275	14.9	98	* *
American Indian/Alaska Native								
0 - 11 Months	12	*	12	*	12	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	11	*	11	*	11	*	11	* *
Total	30	*	30	*	30	*	11	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 68
Run Date: 4/4/2012

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *
Pacific Islander								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	177	3.4	177	6.8	177	6.8	0	0.0 0.0
12 - 23 Months	96	*	96	*	96	*	0	* *
24 - 59 Months	133	2.3	133	8.3	133	15.8	133	12.0 15.8
Total	406	3.0	406	5.7	406	10.6	133	12.0 15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lake
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 69
Run Date: 4/4/2012

State: California

County: 017

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	442	6.3	442	4.8	442	10.6	0	0.0 0.0
12 - 23 Months	283	5.7	283	0.4	283	13.1	0	0.0 0.0
24 - 59 Months	393	2.8	393	7.1	393	14.5	393	14.0 14.5
Total	1,118	4.9	1,118	4.5	1,118	12.6	393	14.0 14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 70
Run Date: 4/4/2012

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	212	4.2	212	16.5	212	6.1	0	0.0 0.0
12 - 23 Months	109	4.6	109	2.8	109	7.3	0	0.0 0.0
24 - 59 Months	152	5.9	152	7.9	152	11.8	152	13.2 11.8
Total	473	4.9	473	10.6	473	8.2	152	13.2 11.8
Black, Not Hispanic								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	6	*	6	*	6	*	0	* *
24 - 59 Months	5	*	5	*	5	*	5	* *
Total	17	*	17	*	17	*	5	* *
Hispanic								
0 - 11 Months	45	*	45	*	45	*	0	* *
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	40	*	40	*	40	*	40	* *
Total	116	3.4	116	9.5	116	10.3	40	* *
American Indian/Alaska Native								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	10	*	10	*	10	*	10	* *
Total	38	*	38	*	38	*	10	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 71
Run Date: 4/4/2012

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	3	*	3	*	3	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	4	*	4	*	4	*	1 * *
Pacific Islander							
0 - 11 Months	2	*	2	*	2	*	0 * *
12 - 23 Months	5	*	5	*	5	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	8	*	8	*	8	*	1 * *
Filipino							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	2	*	2	*	2	*	0 * *
All Other							
0 - 11 Months	17	*	17	*	17	*	0 * *
12 - 23 Months	11	*	11	*	11	*	0 * *
24 - 59 Months	15	*	15	*	15	*	15 * *
Total	43	*	43	*	43	*	15 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Lassen
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 72
Run Date: 4/4/2012

State: California

County: 018

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	304	3.3	304	15.8	304	5.6	0	0.0 0.0
12 - 23 Months	173	5.8	173	1.7	173	11.6	0	0.0 0.0
24 - 59 Months	224	5.4	224	6.7	224	12.5	224	17.0 12.5
Total	701	4.6	701	9.4	701	9.3	224	17.0 12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 73
Run Date: 4/4/2012

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	136	11.0	136	5.1	136	11.0	0	0.0 0.0
12 - 23 Months	27	*	27	*	27	*	0	* *
24 - 59 Months	61	*	61	*	61	*	61	* *
Total	224	10.3	224	3.6	224	12.5	61	* *
Black, Not Hispanic								
0 - 11 Months	760	11.6	760	6.4	760	11.8	0	0.0 0.0
12 - 23 Months	162	9.3	162	0.0	162	20.4	0	0.0 0.0
24 - 59 Months	268	2.6	268	3.7	268	18.3	268	15.3 18.3
Total	1,190	9.2	1,190	5.0	1,190	14.5	268	15.3 18.3
Hispanic								
0 - 11 Months	3,389	7.3	3,389	4.2	3,389	11.5	0	0.0 0.0
12 - 23 Months	665	6.2	665	1.4	665	22.4	0	0.0 0.0
24 - 59 Months	1,000	5.9	1,000	2.4	1,000	23.0	1,000	18.4 23.0
Total	5,054	6.9	5,054	3.4	5,054	15.2	1,000	18.4 23.0
American Indian/Alaska Native								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	9	*	9	*	9	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 74
Run Date: 4/4/2012

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	222	7.7	222	4.1	222	9.5	0	0.0 0.0
12 - 23 Months	52	*	52	*	52	*	0	* *
24 - 59 Months	77	*	77	*	77	*	77	* *
Total	351	9.1	351	3.7	351	13.1	77	* *
Pacific Islander								
0 - 11 Months	53	*	53	*	53	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	25	*	25	*	25	*	25	* *
Total	87	*	87	*	87	*	25	* *
Filipino								
0 - 11 Months	60	*	60	*	60	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	92	*	92	*	92	*	21	* *
All Other								
0 - 11 Months	1,323	6.6	1,323	3.6	1,323	9.1	0	0.0 0.0
12 - 23 Months	300	3.7	300	0.3	300	20.3	0	0.0 0.0
24 - 59 Months	469	3.8	469	6.0	469	15.4	469	13.4 15.4
Total	2,092	5.5	2,092	3.6	2,092	12.1	469	13.4 15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Long Beach
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 75
Run Date: 4/4/2012

State: California

County: 062

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Total All Race/Ethnic Groups								
0 - 11 Months	5,948	7.8	5,948	4.4	5,948	10.9	0	0.0 0.0
12 - 23 Months	1,229	6.9	1,229	1.0	1,229	21.2	0	0.0 0.0
24 - 59 Months	1,922	5.0	1,922	3.4	1,922	20.7	1,922	16.2 20.7
Total	9,099	7.1	9,099	3.7	9,099	14.4	1,922	16.2 20.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 76
Run Date: 4/4/2012

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
White, Not Hispanic								
0 - 11 Months	366	6.8	366	11.5	366	5.2	0	0.0 0.0
12 - 23 Months	139	4.3	139	0.7	139	13.7	0	0.0 0.0
24 - 59 Months	242	2.1	242	12.4	242	11.2	242	12.0 11.2
Total	747	4.8	747	9.8	747	8.7	242	12.0 11.2
Black, Not Hispanic								
0 - 11 Months	26	*	26	*	26	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	22	*	22	*	22	*	22	* *
Total	58	*	58	*	58	*	22	* *
Hispanic								
0 - 11 Months	3,255	5.2	3,255	3.5	3,255	10.6	0	0.0 0.0
12 - 23 Months	1,814	5.6	1,814	0.4	1,814	16.2	0	0.0 0.0
24 - 59 Months	3,374	3.6	3,374	4.3	3,374	16.5	3,374	16.2 16.5
Total	8,443	4.6	8,443	3.2	8,443	14.1	3,374	16.2 16.5
American Indian/Alaska Native								
0 - 11 Months	31	*	31	*	31	*	0	* *
12 - 23 Months	15	*	15	*	15	*	0	* *
24 - 59 Months	24	*	24	*	24	*	24	* *
Total	70	*	70	*	70	*	24	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 77
Run Date: 4/4/2012

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	5	*	5	*	5	*	5	* *
Total	10	*	10	*	10	*	5	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	1	*	1	*	1	*	1	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	3	*	3	*	3	*	1	* *
All Other								
0 - 11 Months	196	7.1	196	5.6	196	7.1	0	0.0 0.0
12 - 23 Months	79	*	79	*	79	*	0	* *
24 - 59 Months	132	1.5	132	4.5	132	18.2	132	13.6 18.2
Total	407	4.9	407	4.9	407	11.1	132	13.6 18.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Madera
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 78
Run Date: 4/4/2012

State: California

County: 020

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	3,879	5.4	3,879	4.4	3,879	9.8	0	0.0 0.0
12 - 23 Months	2,059	5.4	2,059	0.6	2,059	15.7	0	0.0 0.0
24 - 59 Months	3,801	3.4	3,801	4.8	3,801	16.1	3,801	15.9 16.1
Total	9,739	4.6	9,739	3.7	9,739	13.5	3,801	15.9 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 79
Run Date: 4/4/2012

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	101	3.0	101	6.9	101	4.0	0	0.0 0.0
12 - 23 Months	79	*	79	*	79	*	0	* *
24 - 59 Months	86	*	86	*	86	*	86	* *
Total	266	3.0	266	5.3	266	6.4	86	* *
Black, Not Hispanic								
0 - 11 Months	21	*	21	*	21	*	0	* *
12 - 23 Months	17	*	17	*	17	*	0	* *
24 - 59 Months	23	*	23	*	23	*	23	* *
Total	61	*	61	*	61	*	23	* *
Hispanic								
0 - 11 Months	563	3.7	563	4.4	563	7.1	0	0.0 0.0
12 - 23 Months	472	2.8	472	1.3	472	8.3	0	0.0 0.0
24 - 59 Months	788	2.7	788	3.3	788	15.2	788	15.7 15.2
Total	1,823	3.0	1,823	3.1	1,823	10.9	788	15.7 15.2
American Indian/Alaska Native								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	3	*	3	*	3	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 80
Run Date: 4/4/2012

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	20	*	20	*	20	*	0	* *
12 - 23 Months	12	*	12	*	12	*	0	* *
24 - 59 Months	22	*	22	*	22	*	22	* *
Total	54	*	54	*	54	*	22	* *
Pacific Islander								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	4	*	4	*	4	*	2	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	837	4.3	837	5.1	837	8.2	0	0.0 0.0
12 - 23 Months	322	2.8	322	3.1	322	9.6	0	0.0 0.0
24 - 59 Months	134	4.5	134	7.5	134	11.2	134	13.4 11.2
Total	1,293	3.9	1,293	4.9	1,293	8.9	134	13.4 11.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Marin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 81
Run Date: 4/4/2012

State: California

County: 021

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,546	4.0	1,546	5.0	1,546	7.4	0	0.0 0.0
12 - 23 Months	902	2.8	902	1.9	902	8.8	0	0.0 0.0
24 - 59 Months	1,056	2.9	1,056	4.5	1,056	13.7	1,056	15.2 13.7
Total	3,504	3.4	3,504	4.1	3,504	9.7	1,056	15.2 13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 82
Run Date: 4/4/2012

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	70	*	70	*	70	*	0 * *
12 - 23 Months	29	*	29	*	29	*	0 * *
24 - 59 Months	42	*	42	*	42	*	42 * *
Total	141	5.7	141	5.7	141	12.1	42 * *
Black, Not Hispanic							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	3	*	3	*	3	*	1 * *
Hispanic							
0 - 11 Months	15	*	15	*	15	*	0 * *
12 - 23 Months	2	*	2	*	2	*	0 * *
24 - 59 Months	10	*	10	*	10	*	10 * *
Total	27	*	27	*	27	*	10 * *
American Indian/Alaska Native							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	2	*	2	*	2	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	7	*	7	*	7	*	1 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 83
Run Date: 4/4/2012

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	21	*	21	*	21	*	0 * *
12 - 23 Months	5	*	5	*	5	*	0 * *
24 - 59 Months	5	*	5	*	5	*	5 * *
Total	31	*	31	*	31	*	5 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mariposa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 84
Run Date: 4/4/2012

State: California

County: 022

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	111	9.0	111	10.8	111	8.1	0	0.0 0.0
12 - 23 Months	39	*	39	*	39	*	0	* *
24 - 59 Months	59	*	59	*	59	*	59	* *
Total	209	5.7	209	9.1	209	11.0	59	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 85
Run Date: 4/4/2012

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	119	7.6	119	9.2	119	2.5	0	0.0 0.0
12 - 23 Months	61	*	61	*	61	*	0	* *
24 - 59 Months	95	*	95	*	95	*	95	* *
Total	275	6.2	275	5.1	275	8.7	95	* *
Black, Not Hispanic								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	11	*	11	*	11	*	3	* *
Hispanic								
0 - 11 Months	81	*	81	*	81	*	0	* *
12 - 23 Months	49	*	49	*	49	*	0	* *
24 - 59 Months	126	2.4	126	1.6	126	20.6	126	14.3 20.6
Total	256	2.0	256	1.6	256	15.6	126	14.3 20.6
American Indian/Alaska Native								
0 - 11 Months	28	*	28	*	28	*	0	* *
12 - 23 Months	25	*	25	*	25	*	0	* *
24 - 59 Months	74	*	74	*	74	*	74	* *
Total	127	3.9	127	2.4	127	29.9	74	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 86
Run Date: 4/4/2012

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	6	*	6	*	6	*	2	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
All Other								
0 - 11 Months	1,001	3.3	1,001	8.4	1,001	6.3	0	0.0 0.0
12 - 23 Months	461	2.4	461	0.4	461	12.8	0	0.0 0.0
24 - 59 Months	596	4.0	596	2.2	596	20.0	596	19.8 20.0
Total	2,058	3.3	2,058	4.8	2,058	11.7	596	19.8 20.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mendocino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 87
Run Date: 4/4/2012

State: California

County: 023

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,240	3.6	1,240	7.8	1,240	6.0	0	0.0
12 - 23 Months	598	2.8	598	0.5	598	14.2	0	0.0
24 - 59 Months	896	3.7	896	2.2	896	20.6	896	17.6
Total	2,734	3.5	2,734	4.4	2,734	12.6	896	17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 88
Run Date: 4/4/2012

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,803	9.5	1,803	5.8	1,803	11.4	0	0.0 0.0
12 - 23 Months	448	6.3	448	0.2	448	17.6	0	0.0 0.0
24 - 59 Months	360	6.7	360	1.9	360	20.3	360	20.6 20.3
Total	2,611	8.6	2,611	4.3	2,611	13.7	360	20.6 20.3
Black, Not Hispanic								
0 - 11 Months	102	10.8	102	6.9	102	12.7	0	0.0 0.0
12 - 23 Months	23	*	23	*	23	*	0	* *
24 - 59 Months	29	*	29	*	29	*	29	* *
Total	154	7.8	154	4.5	154	14.3	29	* *
Hispanic								
0 - 11 Months	1,277	4.5	1,277	7.3	1,277	6.2	0	0.0 0.0
12 - 23 Months	286	4.2	286	1.0	286	17.8	0	0.0 0.0
24 - 59 Months	326	2.1	326	4.6	326	18.4	326	19.6 18.4
Total	1,889	4.0	1,889	5.9	1,889	10.1	326	19.6 18.4
American Indian/Alaska Native								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	5	*	5	*	5	*	5	* *
Total	13	*	13	*	13	*	5	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 89
Run Date: 4/4/2012

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	133	11.3	133	6.8	133	6.8	0	0.0 0.0
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	28	*	28	*	28	*	28	* *
Total	192	11.5	192	6.8	192	8.3	28	* *
Pacific Islander								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	19	*	19	*	19	*	4	* *
Filipino								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	3	*	3	*	3	*	1	* *
All Other								
0 - 11 Months	458	7.4	458	7.0	458	9.8	0	0.0 0.0
12 - 23 Months	118	4.2	118	0.8	118	7.6	0	0.0 0.0
24 - 59 Months	87	*	87	*	87	*	87	* *
Total	663	6.5	663	5.4	663	10.0	87	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Merced
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 90
Run Date: 4/4/2012

State: California

County: 024

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	3,781	7.6	3,781	6.5	3,781	9.4	0	0.0 0.0
12 - 23 Months	923	5.4	923	0.9	923	15.9	0	0.0 0.0
24 - 59 Months	840	4.5	840	3.6	840	18.6	840	19.4 18.6
Total	5,544	6.8	5,544	5.1	5,544	11.9	840	19.4 18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 91
Run Date: 4/4/2012

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾									
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)		
	Number	%	Number	%	Number	%	Number	% Overweight	% Obese
White, Not Hispanic									
0 - 11 Months	84	*	84	*	84	*	0	*	*
12 - 23 Months	36	*	36	*	36	*	0	*	*
24 - 59 Months	54	*	54	*	54	*	54	*	*
Total	174	6.9	174	8.0	174	6.3	54	*	*
Black, Not Hispanic									
0 - 11 Months	0	*	0	*	0	*	0	*	*
12 - 23 Months	0	*	0	*	0	*	0	*	*
24 - 59 Months	1	*	1	*	1	*	1	*	*
Total	1	*	1	*	1	*	1	*	*
Hispanic									
0 - 11 Months	28	*	28	*	28	*	0	*	*
12 - 23 Months	11	*	11	*	11	*	0	*	*
24 - 59 Months	31	*	31	*	31	*	31	*	*
Total	70	*	70	*	70	*	31	*	*
American Indian/Alaska Native									
0 - 11 Months	5	*	5	*	5	*	0	*	*
12 - 23 Months	1	*	1	*	1	*	0	*	*
24 - 59 Months	3	*	3	*	3	*	3	*	*
Total	9	*	9	*	9	*	3	*	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 92
Run Date: 4/4/2012

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	1	*	1	*	1	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	2	*	2	*	2	*	0 * *
12 - 23 Months	2	*	2	*	2	*	0 * *
24 - 59 Months	4	*	4	*	4	*	4 * *
Total	8	*	8	*	8	*	4 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Modoc
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 93
Run Date: 4/4/2012

State: California

County: 025

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	119	8.4	119	10.9	119	4.2	0	0.0 0.0
12 - 23 Months	51	*	51	*	51	*	0	* *
24 - 59 Months	93	*	93	*	93	*	93	* *
Total	263	5.7	263	7.6	263	9.1	93	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 94
Run Date: 4/4/2012

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	30	*	30	*	30	*	0 * *
12 - 23 Months	14	*	14	*	14	*	0 * *
24 - 59 Months	7	*	7	*	7	*	7 * *
Total	51	*	51	*	51	*	7 * *
Black, Not Hispanic							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Hispanic							
0 - 11 Months	148	3.4	148	8.8	148	3.4	0 0.0 0.0
12 - 23 Months	82	*	82	*	82	*	0 * *
24 - 59 Months	97	*	97	*	97	*	97 * *
Total	327	4.0	327	9.8	327	4.9	97 * *
American Indian/Alaska Native							
0 - 11 Months	2	*	2	*	2	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	4	*	4	*	4	*	4 * *
Total	6	*	6	*	6	*	4 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 95
Run Date: 4/4/2012

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	14	*	14	*	14	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	17	*	17	*	17	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Mono
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 96
Run Date: 4/4/2012

State: California

County: 026

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	194	2.6	194	9.3	194	2.6	0	0.0 0.0
12 - 23 Months	98	*	98	*	98	*	0	* *
24 - 59 Months	109	0.9	109	14.7	109	6.4	109	13.8 6.4
Total	401	3.2	401	9.5	401	4.7	109	13.8 6.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 97
Run Date: 4/4/2012

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	157	10.2	157	3.8	157	8.3	0	0.0 0.0
12 - 23 Months	38	*	38	*	38	*	0	* *
24 - 59 Months	34	*	34	*	34	*	34	* *
Total	229	7.9	229	3.5	229	10.0	34	* *
Black, Not Hispanic								
0 - 11 Months	50	*	50	*	50	*	0	* *
12 - 23 Months	14	*	14	*	14	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	70	*	70	*	70	*	6	* *
Hispanic								
0 - 11 Months	5,648	8.5	5,648	2.4	5,648	12.2	0	0.0 0.0
12 - 23 Months	1,824	7.2	1,824	0.6	1,824	17.9	0	0.0 0.0
24 - 59 Months	1,386	3.5	1,386	2.5	1,386	19.6	1,386	16.2 19.6
Total	8,858	7.4	8,858	2.1	8,858	14.6	1,386	16.2 19.6
American Indian/Alaska Native								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	5	*	5	*	5	*	2	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 98
Run Date: 4/4/2012

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	17	*	17	*	17	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	40	*	40	*	40	*	12	* *
Pacific Islander								
0 - 11 Months	15	*	15	*	15	*	0	* *
12 - 23 Months	6	*	6	*	6	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	24	*	24	*	24	*	3	* *
Filipino								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	11	*	11	*	11	*	0	* *
All Other								
0 - 11 Months	279	6.1	279	4.7	279	7.5	0	0.0 0.0
12 - 23 Months	58	*	58	*	58	*	0	* *
24 - 59 Months	80	*	80	*	80	*	80	* *
Total	417	5.0	417	4.1	417	9.6	80	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Monterey
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 99
Run Date: 4/4/2012

State: California

County: 027

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	6,175	8.4	6,175	2.7	6,175	11.9	0	0.0 0.0
12 - 23 Months	1,956	7.1	1,956	0.6	1,956	17.7	0	0.0 0.0
24 - 59 Months	1,523	3.4	1,523	2.8	1,523	19.3	1,523	16.0 19.3
Total	9,654	7.4	9,654	2.2	9,654	14.2	1,523	16.0 19.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 100
Run Date: 4/4/2012

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	50	*	50	*	50	*	0	* *
12 - 23 Months	27	*	27	*	27	*	0	* *
24 - 59 Months	44	*	44	*	44	*	44	* *
Total	121	4.1	121	5.0	121	13.2	44	* *
Black, Not Hispanic								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	11	*	11	*	11	*	6	* *
Hispanic								
0 - 11 Months	397	4.8	397	9.1	397	3.8	0	0.0 0.0
12 - 23 Months	202	3.5	202	1.5	202	15.8	0	0.0 0.0
24 - 59 Months	360	3.1	360	2.8	360	21.4	360	16.1 21.4
Total	959	3.9	959	5.1	959	12.9	360	16.1 21.4
American Indian/Alaska Native								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	6	*	6	*	6	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 101
Run Date: 4/4/2012

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	6	*	6	*	6	*	1	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *
Filipino								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	6	*	6	*	6	*	3	* *
All Other								
0 - 11 Months	1,006	3.2	1,006	8.8	1,006	5.5	0	0.0 0.0
12 - 23 Months	487	3.3	487	0.2	487	14.0	0	0.0 0.0
24 - 59 Months	457	3.1	457	2.8	457	16.0	457	16.0 16.0
Total	1,950	3.2	1,950	5.3	1,950	10.1	457	16.0 16.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Napa
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 102
Run Date: 4/4/2012

State: California

County: 028

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,461	3.6	1,461	8.9	1,461	5.0	0	0.0 0.0
12 - 23 Months	724	3.5	724	0.6	724	14.8	0	0.0 0.0
24 - 59 Months	876	3.1	876	2.7	876	18.6	876	16.4 18.6
Total	3,061	3.4	3,061	5.2	3,061	11.2	876	16.4 18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 103
Run Date: 4/4/2012

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
White, Not Hispanic								
0 - 11 Months	659	2.7	659	11.4	659	3.2	0	0.0
12 - 23 Months	266	1.5	266	1.9	266	5.6	0	0.0
24 - 59 Months	354	6.2	354	7.9	354	8.2	354	15.0
Total	1,279	3.4	1,279	8.4	1,279	5.1	354	15.0
Black, Not Hispanic								
0 - 11 Months	4	*	4	*	4	*	0	*
12 - 23 Months	1	*	1	*	1	*	0	*
24 - 59 Months	4	*	4	*	4	*	4	*
Total	9	*	9	*	9	*	4	*
Hispanic								
0 - 11 Months	139	6.5	139	4.3	139	4.3	0	0.0
12 - 23 Months	79	*	79	*	79	*	0	*
24 - 59 Months	103	4.9	103	7.8	103	18.4	103	10.7
Total	321	4.7	321	5.3	321	8.1	103	10.7
American Indian/Alaska Native								
0 - 11 Months	0	*	0	*	0	*	0	*
12 - 23 Months	0	*	0	*	0	*	0	*
24 - 59 Months	0	*	0	*	0	*	0	*
Total	0	*	0	*	0	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 104
Run Date: 4/4/2012

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	4	*	4	*	4	*	0 * *
24 - 59 Months	2	*	2	*	2	*	2 * *
Total	10	*	10	*	10	*	2 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	75	*	75	*	75	*	0 * *
12 - 23 Months	34	*	34	*	34	*	0 * *
24 - 59 Months	59	*	59	*	59	*	59 * *
Total	168	4.2	168	7.7	168	7.1	59 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Nevada
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 105
Run Date: 4/4/2012

State: California

County: 029

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	881	3.5	881	10.1	881	3.5	0	0.0 0.0
12 - 23 Months	384	1.3	384	2.6	384	4.9	0	0.0 0.0
24 - 59 Months	522	5.7	522	7.7	522	10.3	522	13.4 10.3
Total	1,787	3.7	1,787	7.8	1,787	5.8	522	13.4 10.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 106
Run Date: 4/4/2012

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	446	7.0	446	9.4	446	8.1	0	0.0 0.0
12 - 23 Months	187	8.6	187	1.1	187	16.6	0	0.0 0.0
24 - 59 Months	314	2.2	314	4.1	314	10.8	314	13.1 10.8
Total	947	5.7	947	6.0	947	10.7	314	13.1 10.8
Black, Not Hispanic								
0 - 11 Months	81	*	81	*	81	*	0	* *
12 - 23 Months	24	*	24	*	24	*	0	* *
24 - 59 Months	63	*	63	*	63	*	63	* *
Total	168	3.0	168	8.3	168	10.7	63	* *
Hispanic								
0 - 11 Months	9,136	5.7	9,136	6.4	9,136	9.3	0	0.0 0.0
12 - 23 Months	2,458	5.1	2,458	0.9	2,458	18.9	0	0.0 0.0
24 - 59 Months	4,504	2.9	4,504	3.6	4,504	17.8	4,504	16.7 17.8
Total	16,098	4.9	16,098	4.8	16,098	13.1	4,504	16.7 17.8
American Indian/Alaska Native								
0 - 11 Months	11	*	11	*	11	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	20	*	20	*	20	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 107
Run Date: 4/4/2012

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Asian								
0 - 11 Months	356	7.0	356	8.7	356	8.1	0	0.0 0.0
12 - 23 Months	129	7.0	129	0.8	129	7.0	0	0.0 0.0
24 - 59 Months	193	4.7	193	4.7	193	12.4	193	10.9 12.4
Total	678	6.3	678	6.0	678	9.1	193	10.9 12.4
Pacific Islander								
0 - 11 Months	17	*	17	*	17	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	31	*	31	*	31	*	12	* *
Filipino								
0 - 11 Months	52	*	52	*	52	*	0	* *
12 - 23 Months	25	*	25	*	25	*	0	* *
24 - 59 Months	44	*	44	*	44	*	44	* *
Total	121	4.1	121	5.0	121	11.6	44	* *
All Other								
0 - 11 Months	2,497	5.8	2,497	7.5	2,497	7.3	0	0.0 0.0
12 - 23 Months	355	3.9	355	1.4	355	14.9	0	0.0 0.0
24 - 59 Months	450	3.1	450	6.9	450	14.7	450	13.1 14.7
Total	3,302	5.2	3,302	6.8	3,302	9.1	450	13.1 14.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Orange
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 108
Run Date: 4/4/2012

State: California

County: 030

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	12,596	5.8	12,596	6.9	12,596	8.8	0	0.0 0.0
12 - 23 Months	3,185	5.2	3,185	1.0	3,185	17.8	0	0.0 0.0
24 - 59 Months	5,584	2.9	5,584	4.0	5,584	16.9	5,584	16.2 16.9
Total	21,365	5.0	21,365	5.2	21,365	12.2	5,584	16.2 16.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 109
Run Date: 4/4/2012

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	11	*	11	*	11	*	11	* *
Total	21	*	21	*	21	*	11	* *
Black, Not Hispanic								
0 - 11 Months	42	*	42	*	42	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	31	*	31	*	31	*	31	* *
Total	84	*	84	*	84	*	31	* *
Hispanic								
0 - 11 Months	258	2.7	258	13.6	258	3.5	0	0.0 0.0
12 - 23 Months	94	*	94	*	94	*	0	* *
24 - 59 Months	141	2.1	141	6.4	141	11.3	141	15.6 11.3
Total	493	3.0	493	9.1	493	6.3	141	15.6 11.3
American Indian/Alaska Native								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 110
Run Date: 4/4/2012

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	9	*	9	*	9	*	2	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
All Other								
0 - 11 Months	346	5.5	346	8.7	346	4.0	0	0.0 0.0
12 - 23 Months	68	*	68	*	68	*	0	* *
24 - 59 Months	71	*	71	*	71	*	71	* *
Total	485	5.2	485	8.0	485	7.6	71	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Pasadena
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 111
Run Date: 4/4/2012

State: California

County: 063

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	659	4.1	659	11.7	659	3.8	0	0.0 0.0
12 - 23 Months	178	5.6	178	2.2	178	10.1	0	0.0 0.0
24 - 59 Months	256	2.0	256	7.0	256	12.5	256	17.2 12.5
Total	1,093	3.8	1,093	9.1	1,093	6.9	256	17.2 12.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 112
Run Date: 4/4/2012

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
White, Not Hispanic								
0 - 11 Months	604	7.6	604	5.6	604	6.5	0	0.0
12 - 23 Months	293	3.4	293	0.3	293	13.0	0	0.0
24 - 59 Months	416	2.6	416	5.5	416	8.9	416	13.5
Total	1,313	5.1	1,313	4.4	1,313	8.7	416	13.5
Black, Not Hispanic								
0 - 11 Months	8	*	8	*	8	*	0	*
12 - 23 Months	7	*	7	*	7	*	0	*
24 - 59 Months	11	*	11	*	11	*	11	*
Total	26	*	26	*	26	*	11	*
Hispanic								
0 - 11 Months	359	5.8	359	6.1	359	8.4	0	0.0
12 - 23 Months	242	6.6	242	2.1	242	10.3	0	0.0
24 - 59 Months	376	5.6	376	4.0	376	13.8	376	16.5
Total	977	5.9	977	4.3	977	11.0	376	16.5
American Indian/Alaska Native								
0 - 11 Months	1	*	1	*	1	*	0	*
12 - 23 Months	1	*	1	*	1	*	0	*
24 - 59 Months	1	*	1	*	1	*	1	*
Total	3	*	3	*	3	*	1	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 113
Run Date: 4/4/2012

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	5	*	5	*	5	*	5	* *
Total	14	*	14	*	14	*	5	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
Filipino								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	9	*	9	*	9	*	0	* *
All Other								
0 - 11 Months	1,132	4.2	1,132	5.8	1,132	6.9	0	0.0 0.0
12 - 23 Months	553	2.9	553	2.4	553	11.8	0	0.0 0.0
24 - 59 Months	727	3.9	727	6.2	727	12.4	727	11.4 12.4
Total	2,412	3.8	2,412	5.1	2,412	9.7	727	11.4 12.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Placer
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 114
Run Date: 4/4/2012

State: California

County: 031

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	2,117	5.6	2,117	5.8	2,117	7.1	0	0.0 0.0
12 - 23 Months	1,101	3.8	1,101	1.7	1,101	11.8	0	0.0 0.0
24 - 59 Months	1,536	3.9	1,536	5.6	1,536	11.8	1,536	13.2 11.8
Total	4,754	4.6	4,754	4.8	4,754	9.7	1,536	13.2 11.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 115
Run Date: 4/4/2012

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	122	4.1	122	18.0	122	1.6	0	0.0 0.0
12 - 23 Months	37	*	37	*	37	*	0	* *
24 - 59 Months	66	*	66	*	66	*	66	* *
Total	225	6.2	225	11.6	225	4.4	66	* *
Black, Not Hispanic								
0 - 11 Months	11	*	11	*	11	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	20	*	20	*	20	*	8	* *
Hispanic								
0 - 11 Months	54	*	54	*	54	*	0	* *
12 - 23 Months	28	*	28	*	28	*	0	* *
24 - 59 Months	37	*	37	*	37	*	37	* *
Total	119	3.4	119	5.0	119	12.6	37	* *
American Indian/Alaska Native								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	12	*	12	*	12	*	6	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 116
Run Date: 4/4/2012

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	7	*	7	*	7	*	2	* *
Pacific Islander								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	123	4.1	123	4.1	123	3.3	0	0.0 0.0
12 - 23 Months	45	*	45	*	45	*	0	* *
24 - 59 Months	48	*	48	*	48	*	48	* *
Total	216	4.2	216	3.2	216	5.6	48	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Plumas
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 117
Run Date: 4/4/2012

State: California

County: 032

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	319	4.7	319	11.0	319	3.8	0	0.0 0.0
12 - 23 Months	114	3.5	114	3.5	114	10.5	0	0.0 0.0
24 - 59 Months	167	6.0	167	1.8	167	12.0	167	18.0 12.0
Total	600	4.8	600	7.0	600	7.3	167	18.0 12.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 118
Run Date: 4/4/2012

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	2,733	7.5	2,733	6.7	2,733	8.5	0	0.0 0.0
12 - 23 Months	482	5.2	482	1.7	482	13.1	0	0.0 0.0
24 - 59 Months	807	3.5	807	5.5	807	11.0	807	11.3 11.0
Total	4,022	6.4	4,022	5.8	4,022	9.5	807	11.3 11.0
Black, Not Hispanic								
0 - 11 Months	1,023	11.5	1,023	6.6	1,023	10.5	0	0.0 0.0
12 - 23 Months	257	5.8	257	0.8	257	21.0	0	0.0 0.0
24 - 59 Months	485	2.7	485	5.6	485	14.0	485	10.5 14.0
Total	1,765	8.3	1,765	5.5	1,765	13.0	485	10.5 14.0
Hispanic								
0 - 11 Months	14,764	8.3	14,764	3.6	14,764	13.3	0	0.0 0.0
12 - 23 Months	4,057	5.6	4,057	2.2	4,057	19.3	0	0.0 0.0
24 - 59 Months	7,086	2.7	7,086	4.9	7,086	17.1	7,086	15.6 17.1
Total	25,907	6.4	25,907	3.7	25,907	15.2	7,086	15.6 17.1
American Indian/Alaska Native								
0 - 11 Months	14	*	14	*	14	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	6	*	6	*	6	*	6	* *
Total	24	*	24	*	24	*	6	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 119
Run Date: 4/4/2012

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	109	11.0	109	8.3	109	10.1	0	0.0 0.0
12 - 23 Months	28	*	28	*	28	*	0	* *
24 - 59 Months	55	*	55	*	55	*	55	* *
Total	192	11.5	192	6.3	192	12.5	55	* *
Pacific Islander								
0 - 11 Months	17	*	17	*	17	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	10	*	10	*	10	*	10	* *
Total	32	*	32	*	32	*	10	* *
Filipino								
0 - 11 Months	37	*	37	*	37	*	0	* *
12 - 23 Months	18	*	18	*	18	*	0	* *
24 - 59 Months	20	*	20	*	20	*	20	* *
Total	75	*	75	*	75	*	20	* *
All Other								
0 - 11 Months	5,019	7.9	5,019	5.4	5,019	10.5	0	0.0 0.0
12 - 23 Months	845	5.2	845	1.9	845	18.3	0	0.0 0.0
24 - 59 Months	1,323	4.5	1,323	4.8	1,323	16.1	1,323	14.5 16.1
Total	7,187	6.9	7,187	4.9	7,187	12.5	1,323	14.5 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Riverside
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 120
Run Date: 4/4/2012

State: California

County: 033

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	23,716	8.3	23,716	4.5	23,716	12.0	0	0.0 0.0
12 - 23 Months	5,696	5.6	5,696	2.0	5,696	18.7	0	0.0 0.0
24 - 59 Months	9,792	3.0	9,792	5.0	9,792	16.2	9,792	14.8 16.2
Total	39,204	6.6	39,204	4.2	39,204	14.0	9,792	14.8 16.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 121
Run Date: 4/4/2012

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,897	4.5	1,897	8.3	1,897	5.7	0	0.0 0.0
12 - 23 Months	1,079	3.8	1,079	2.0	1,079	14.1	0	0.0 0.0
24 - 59 Months	1,711	2.5	1,711	6.3	1,711	10.8	1,711	14.8 10.8
Total	4,687	3.6	4,687	6.1	4,687	9.5	1,711	14.8 10.8
Black, Not Hispanic								
0 - 11 Months	1,594	7.0	1,594	10.7	1,594	6.1	0	0.0 0.0
12 - 23 Months	903	5.4	903	2.9	903	9.6	0	0.0 0.0
24 - 59 Months	1,575	3.4	1,575	7.0	1,575	9.7	1,575	12.9 9.7
Total	4,072	5.3	4,072	7.6	4,072	8.3	1,575	12.9 9.7
Hispanic								
0 - 11 Months	3,918	3.8	3,918	7.6	3,918	6.1	0	0.0 0.0
12 - 23 Months	2,257	3.0	2,257	2.4	2,257	12.5	0	0.0 0.0
24 - 59 Months	4,049	3.0	4,049	4.9	4,049	15.8	4,049	14.7 15.8
Total	10,224	3.3	10,224	5.4	10,224	11.4	4,049	14.7 15.8
American Indian/Alaska Native								
0 - 11 Months	26	*	26	*	26	*	0	* *
12 - 23 Months	16	*	16	*	16	*	0	* *
24 - 59 Months	22	*	22	*	22	*	22	* *
Total	64	*	64	*	64	*	22	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 122
Run Date: 4/4/2012

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	1,106	8.2	1,106	5.3	1,106	7.8	0	0.0 0.0
12 - 23 Months	562	8.0	562	1.8	562	11.9	0	0.0 0.0
24 - 59 Months	967	6.0	967	3.8	967	14.1	967	15.5 14.1
Total	2,635	7.4	2,635	4.0	2,635	11.0	967	15.5 14.1
Pacific Islander								
0 - 11 Months	61	*	61	*	61	*	0	* *
12 - 23 Months	45	*	45	*	45	*	0	* *
24 - 59 Months	73	*	73	*	73	*	73	* *
Total	179	4.5	179	6.1	179	16.2	73	* *
Filipino								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	12	*	12	*	12	*	0	* *
24 - 59 Months	26	*	26	*	26	*	26	* *
Total	56	*	56	*	56	*	26	* *
All Other								
0 - 11 Months	8,995	5.6	8,995	9.7	8,995	5.9	0	0.0 0.0
12 - 23 Months	3,568	4.2	3,568	1.9	3,568	12.6	0	0.0 0.0
24 - 59 Months	5,343	4.2	5,343	6.3	5,343	14.1	5,343	14.8 14.1
Total	17,906	4.9	17,906	7.1	17,906	9.7	5,343	14.8 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sacramento
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 123
Run Date: 4/4/2012

State: California

County: 034

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
Total All Race/Ethnic Groups								
0 - 11 Months	17,615	5.3	17,615	8.9	17,615	6.1	0	0.0 0.0
12 - 23 Months	8,442	4.2	8,442	2.2	8,442	12.4	0	0.0 0.0
24 - 59 Months	13,766	3.7	13,766	5.8	13,766	13.7	13,766	14.6 13.7
Total	39,823	4.5	39,823	6.4	39,823	10.1	13,766	14.6 13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 124
Run Date: 4/4/2012

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	39	*	39	*	39	*	0	* *
12 - 23 Months	13	*	13	*	13	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	73	*	73	*	73	*	21	* *
Black, Not Hispanic								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	5	*	5	*	5	*	5	* *
Total	9	*	9	*	9	*	5	* *
Hispanic								
0 - 11 Months	270	2.2	270	5.9	270	7.8	0	0.0 0.0
12 - 23 Months	127	3.1	127	2.4	127	15.0	0	0.0 0.0
24 - 59 Months	197	4.6	197	5.1	197	22.8	197	20.3 22.8
Total	594	3.2	594	4.9	594	14.3	197	20.3 22.8
American Indian/Alaska Native								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	1	*	1	*	1	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 125
Run Date: 4/4/2012

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	2	*	2	*	2	*	1 * *
Pacific Islander							
0 - 11 Months	2	*	2	*	2	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	3	*	3	*	3	*	1 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	1	*	1	*	1	*	0 * *
All Other							
0 - 11 Months	46	*	46	*	46	*	0 * *
12 - 23 Months	22	*	22	*	22	*	0 * *
24 - 59 Months	41	*	41	*	41	*	41 * *
Total	109	4.6	109	3.7	109	11.0	41 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Benito
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 126
Run Date: 4/4/2012

State: California

County: 035

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	362	3.3	362	6.4	362	8.3	0	0.0 0.0
12 - 23 Months	163	2.5	163	1.8	163	15.3	0	0.0 0.0
24 - 59 Months	267	3.7	267	6.0	267	19.1	267	19.1 19.1
Total	792	3.3	792	5.3	792	13.4	267	19.1 19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 127
Run Date: 4/4/2012

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,753	10.0	1,753	6.4	1,753	10.8	0	0.0 0.0
12 - 23 Months	437	5.3	437	0.0	437	15.8	0	0.0 0.0
24 - 59 Months	670	5.8	670	4.8	670	12.5	670	14.5 12.5
Total	2,860	8.3	2,860	5.0	2,860	12.0	670	14.5 12.5
Black, Not Hispanic								
0 - 11 Months	1,393	12.6	1,393	5.0	1,393	12.8	0	0.0 0.0
12 - 23 Months	307	7.8	307	1.6	307	16.3	0	0.0 0.0
24 - 59 Months	516	4.3	516	4.1	516	10.9	516	16.3 10.9
Total	2,216	10.0	2,216	4.3	2,216	12.9	516	16.3 10.9
Hispanic								
0 - 11 Months	11,520	8.4	11,520	4.5	11,520	12.8	0	0.0 0.0
12 - 23 Months	3,292	5.9	3,292	2.5	3,292	20.0	0	0.0 0.0
24 - 59 Months	6,214	3.7	6,214	4.8	6,214	16.3	6,214	15.8 16.3
Total	21,026	6.6	21,026	4.3	21,026	14.9	6,214	15.8 16.3
American Indian/Alaska Native								
0 - 11 Months	25	*	25	*	25	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	42	*	42	*	42	*	12	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 128
Run Date: 4/4/2012

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	136	11.8	136	7.4	136	8.1	0	0.0 0.0
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	69	*	69	*	69	*	69	* *
Total	236	8.5	236	6.4	236	9.3	69	* *
Pacific Islander								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	5	*	5	*	5	*	0	* *
24 - 59 Months	14	*	14	*	14	*	14	* *
Total	37	*	37	*	37	*	14	* *
Filipino								
0 - 11 Months	19	*	19	*	19	*	0	* *
12 - 23 Months	13	*	13	*	13	*	0	* *
24 - 59 Months	16	*	16	*	16	*	16	* *
Total	48	*	48	*	48	*	16	* *
All Other								
0 - 11 Months	3,917	9.3	3,917	5.2	3,917	9.3	0	0.0 0.0
12 - 23 Months	880	6.1	880	2.4	880	17.5	0	0.0 0.0
24 - 59 Months	1,600	3.7	1,600	3.8	1,600	15.2	1,600	14.4 15.2
Total	6,397	7.5	6,397	4.5	6,397	11.9	1,600	14.4 15.2

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Bernardino
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 129
Run Date: 4/4/2012

State: California

County: 036

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	18,781	9.1	18,781	4.9	18,781	11.9	0	0.0 0.0
12 - 23 Months	4,970	6.0	4,970	2.2	4,970	18.9	0	0.0 0.0
24 - 59 Months	9,111	3.9	9,111	4.6	9,111	15.4	9,111	15.5 15.4
Total	32,862	7.2	32,862	4.4	32,862	13.9	9,111	15.5 15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 130
Run Date: 4/4/2012

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	6,218	6.2	6,218	5.6	6,218	8.6	0	0.0
12 - 23 Months	2,771	5.7	2,771	1.7	2,771	14.1	0	0.0
24 - 59 Months	4,218	4.7	4,218	3.2	4,218	17.1	4,218	18.3
Total	13,207	5.6	13,207	4.0	13,207	12.5	4,218	18.3
Black, Not Hispanic								
0 - 11 Months	930	8.8	930	7.3	930	9.0	0	0.0
12 - 23 Months	472	6.6	472	1.9	472	15.3	0	0.0
24 - 59 Months	777	3.3	777	6.6	777	12.2	777	14.9
Total	2,179	6.4	2,179	5.9	2,179	11.5	777	14.9
Hispanic								
0 - 11 Months	9,716	5.9	9,716	5.4	9,716	9.8	0	0.0
12 - 23 Months	5,096	4.9	5,096	1.4	5,096	16.4	0	0.0
24 - 59 Months	7,589	3.9	7,589	3.9	7,589	17.5	7,589	16.2
Total	22,401	5.0	22,401	4.0	22,401	13.9	7,589	16.2
American Indian/Alaska Native								
0 - 11 Months	49	*	49	*	49	*	0	*
12 - 23 Months	27	*	27	*	27	*	0	*
24 - 59 Months	39	*	39	*	39	*	39	*
Total	115	7.0	115	7.0	115	13.0	39	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 131
Run Date: 4/4/2012

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	411	8.0	411	7.1	411	8.5	0	0.0 0.0
12 - 23 Months	144	7.6	144	2.8	144	13.2	0	0.0 0.0
24 - 59 Months	262	4.2	262	7.3	262	12.2	262	12.2 12.2
Total	817	6.7	817	6.4	817	10.5	262	12.2 12.2
Pacific Islander								
0 - 11 Months	85	*	85	*	85	*	0	* *
12 - 23 Months	47	*	47	*	47	*	0	* *
24 - 59 Months	79	*	79	*	79	*	79	* *
Total	211	7.1	211	6.6	211	12.8	79	* *
Filipino								
0 - 11 Months	195	11.8	195	5.1	195	8.2	0	0.0 0.0
12 - 23 Months	70	*	70	*	70	*	0	* *
24 - 59 Months	116	6.0	116	3.4	116	16.4	116	13.8 16.4
Total	381	9.2	381	4.2	381	11.8	116	13.8 16.4
All Other								
0 - 11 Months	7,595	6.1	7,595	9.3	7,595	7.4	0	0.0 0.0
12 - 23 Months	2,921	4.6	2,921	1.9	2,921	11.6	0	0.0 0.0
24 - 59 Months	3,806	4.4	3,806	5.1	3,806	15.0	3,806	14.9 15.0
Total	14,322	5.3	14,322	6.7	14,322	10.2	3,806	14.9 15.0

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Diego
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 132
Run Date: 4/4/2012

State: California

County: 037

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	25,199	6.2	25,199	6.7	25,199	8.7	0	0.0 0.0
12 - 23 Months	11,548	5.2	11,548	1.7	11,548	14.5	0	0.0 0.0
24 - 59 Months	16,886	4.2	16,886	4.2	16,886	16.5	16,886	16.3 16.5
Total	53,633	5.3	53,633	4.9	53,633	12.4	16,886	16.3 16.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 133
Run Date: 4/4/2012

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	206	8.3	206	9.2	206	5.8	0	0.0 0.0
12 - 23 Months	87	*	87	*	87	*	0	* *
24 - 59 Months	87	*	87	*	87	*	87	* *
Total	380	6.6	380	6.8	380	10.3	87	* *
Black, Not Hispanic								
0 - 11 Months	354	12.4	354	7.9	354	9.6	0	0.0 0.0
12 - 23 Months	205	3.4	205	1.0	205	18.0	0	0.0 0.0
24 - 59 Months	259	2.7	259	6.6	259	14.7	259	12.4 14.7
Total	818	7.1	818	5.7	818	13.3	259	12.4 14.7
Hispanic								
0 - 11 Months	1,806	4.9	1,806	7.5	1,806	9.5	0	0.0 0.0
12 - 23 Months	1,004	4.4	1,004	1.0	1,004	15.3	0	0.0 0.0
24 - 59 Months	1,630	3.6	1,630	2.4	1,630	20.4	1,630	17.9 20.4
Total	4,440	4.3	4,440	4.2	4,440	14.8	1,630	17.9 20.4
American Indian/Alaska Native								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	5	*	5	*	5	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 134
Run Date: 4/4/2012

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	1,115	3.9	1,115	4.8	1,115	7.5	0	0.0 0.0
12 - 23 Months	661	4.7	661	1.8	661	5.9	0	0.0 0.0
24 - 59 Months	1,090	2.8	1,090	6.2	1,090	8.6	1,090	12.4 8.6
Total	2,866	3.7	2,866	4.7	2,866	7.6	1,090	12.4 8.6
Pacific Islander								
0 - 11 Months	23	*	23	*	23	*	0	* *
12 - 23 Months	8	*	8	*	8	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	39	*	39	*	39	*	8	* *
Filipino								
0 - 11 Months	26	*	26	*	26	*	0	* *
12 - 23 Months	19	*	19	*	19	*	0	* *
24 - 59 Months	16	*	16	*	16	*	16	* *
Total	61	*	61	*	61	*	16	* *
All Other								
0 - 11 Months	331	7.3	331	6.3	331	6.3	0	0.0 0.0
12 - 23 Months	238	2.9	238	0.4	238	12.6	0	0.0 0.0
24 - 59 Months	274	1.8	274	4.0	274	14.6	274	16.8 14.6
Total	843	4.3	843	3.9	843	10.8	274	16.8 14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Francisco
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 135
Run Date: 4/4/2012

State: California

County: 038

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	3,863	5.6	3,863	6.7	3,863	8.5	0	0.0 0.0
12 - 23 Months	2,224	4.5	2,224	1.2	2,224	12.4	0	0.0 0.0
24 - 59 Months	3,365	3.0	3,365	4.2	3,365	15.6	3,365	15.4 15.6
Total	9,452	4.4	9,452	4.5	9,452	11.9	3,365	15.4 15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 136
Run Date: 4/4/2012

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	879	7.6	879	6.7	879	8.8	0	0.0 0.0
12 - 23 Months	436	5.7	436	1.6	436	22.9	0	0.0 0.0
24 - 59 Months	661	4.1	661	4.1	661	14.5	661	16.3 14.5
Total	1,976	6.0	1,976	4.7	1,976	13.8	661	16.3 14.5
Black, Not Hispanic								
0 - 11 Months	771	9.2	771	8.0	771	11.5	0	0.0 0.0
12 - 23 Months	319	8.2	319	2.2	319	24.5	0	0.0 0.0
24 - 59 Months	652	4.0	652	7.4	652	14.6	652	14.6 14.6
Total	1,742	7.1	1,742	6.7	1,742	15.0	652	14.6 14.6
Hispanic								
0 - 11 Months	4,743	5.3	4,743	7.4	4,743	10.3	0	0.0 0.0
12 - 23 Months	2,320	4.8	2,320	0.6	2,320	20.6	0	0.0 0.0
24 - 59 Months	4,017	3.1	4,017	5.2	4,017	18.1	4,017	16.2 18.1
Total	11,080	4.4	11,080	5.2	11,080	15.3	4,017	16.2 18.1
American Indian/Alaska Native								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	24	*	24	*	24	*	12	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 137
Run Date: 4/4/2012

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	481	11.0	481	5.4	481	11.4	0	0.0 0.0
12 - 23 Months	285	13.0	285	0.4	285	20.4	0	0.0 0.0
24 - 59 Months	506	8.9	506	5.1	506	16.4	506	15.8 16.4
Total	1,272	10.6	1,272	4.2	1,272	15.4	506	15.8 16.4
Pacific Islander								
0 - 11 Months	42	*	42	*	42	*	0	* *
12 - 23 Months	12	*	12	*	12	*	0	* *
24 - 59 Months	35	*	35	*	35	*	35	* *
Total	89	*	89	*	89	*	35	* *
Filipino								
0 - 11 Months	124	15.3	124	4.8	124	14.5	0	0.0 0.0
12 - 23 Months	40	*	40	*	40	*	0	* *
24 - 59 Months	58	*	58	*	58	*	58	* *
Total	222	14.4	222	4.5	222	13.5	58	* *
All Other								
0 - 11 Months	4,967	7.3	4,967	4.9	4,967	9.8	0	0.0 0.0
12 - 23 Months	2,364	3.9	2,364	1.1	2,364	15.5	0	0.0 0.0
24 - 59 Months	3,396	3.4	3,396	4.5	3,396	16.1	3,396	14.6 16.1
Total	10,727	5.4	10,727	4.0	10,727	13.0	3,396	14.6 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Joaquin
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 138
Run Date: 4/4/2012

State: California

County: 039

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	12,012	6.9	12,012	6.3	12,012	10.1	0	0.0 0.0
12 - 23 Months	5,783	5.2	5,783	1.0	5,783	18.8	0	0.0 0.0
24 - 59 Months	9,337	3.7	9,337	5.0	9,337	16.8	9,337	15.5 16.8
Total	27,132	5.4	27,132	4.7	27,132	14.3	9,337	15.5 16.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 139
Run Date: 4/4/2012

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
White, Not Hispanic								
0 - 11 Months	489	2.7	489	7.6	489	4.1	0	0.0
12 - 23 Months	261	3.8	261	4.2	261	11.5	0	0.0
24 - 59 Months	375	4.3	375	4.8	375	10.1	375	16.5
Total	1,125	3.5	1,125	5.9	1,125	7.8	375	16.5
Black, Not Hispanic								
0 - 11 Months	11	*	11	*	11	*	0	*
12 - 23 Months	4	*	4	*	4	*	0	*
24 - 59 Months	12	*	12	*	12	*	12	*
Total	27	*	27	*	27	*	12	*
Hispanic								
0 - 11 Months	768	4.3	768	6.0	768	6.4	0	0.0
12 - 23 Months	400	3.3	400	0.8	400	17.5	0	0.0
24 - 59 Months	606	4.5	606	4.1	606	17.5	606	15.3
Total	1,774	4.1	1,774	4.2	1,774	12.7	606	15.3
American Indian/Alaska Native								
0 - 11 Months	0	*	0	*	0	*	0	*
12 - 23 Months	1	*	1	*	1	*	0	*
24 - 59 Months	0	*	0	*	0	*	0	*
Total	1	*	1	*	1	*	0	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 140
Run Date: 4/4/2012

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	10	*	10	*	10	*	4	* *
Pacific Islander								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	4	*	4	*	4	*	0	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	3	*	3	*	3	*	2	* *
All Other								
0 - 11 Months	408	6.6	408	5.9	408	10.3	0	0.0 0.0
12 - 23 Months	204	4.4	204	2.9	204	12.7	0	0.0 0.0
24 - 59 Months	265	3.0	265	4.2	265	10.6	265	11.7 10.6
Total	877	5.0	877	4.7	877	10.9	265	11.7 10.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Luis Obispo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 141
Run Date: 4/4/2012

State: California

County: 040

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,684	4.5	1,684	6.4	1,684	6.6	0	0.0 0.0
12 - 23 Months	873	3.8	873	2.3	873	14.7	0	0.0 0.0
24 - 59 Months	1,264	4.0	1,264	4.4	1,264	13.8	1,264	14.9 13.8
Total	3,821	4.2	3,821	4.8	3,821	10.8	1,264	14.9 13.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 142
Run Date: 4/4/2012

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	107	6.5	107	9.3	107	7.5	0	0.0 0.0
12 - 23 Months	42	*	42	*	42	*	0	* *
24 - 59 Months	45	*	45	*	45	*	45	* *
Total	194	4.1	194	6.2	194	9.8	45	* *
Black, Not Hispanic								
0 - 11 Months	52	*	52	*	52	*	0	* *
12 - 23 Months	24	*	24	*	24	*	0	* *
24 - 59 Months	33	*	33	*	33	*	33	* *
Total	109	2.8	109	8.3	109	9.2	33	* *
Hispanic								
0 - 11 Months	2,097	4.5	2,097	8.4	2,097	7.2	0	0.0 0.0
12 - 23 Months	1,195	3.0	1,195	1.6	1,195	12.3	0	0.0 0.0
24 - 59 Months	1,402	3.1	1,402	3.6	1,402	18.6	1,402	18.5 18.6
Total	4,694	3.7	4,694	5.2	4,694	11.9	1,402	18.5 18.6
American Indian/Alaska Native								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	6	*	6	*	6	*	0	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 143
Run Date: 4/4/2012

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	48	*	48	*	48	*	0	* *
12 - 23 Months	18	*	18	*	18	*	0	* *
24 - 59 Months	34	*	34	*	34	*	34	* *
Total	100	4.0	100	4.0	100	8.0	34	* *
Pacific Islander								
0 - 11 Months	74	*	74	*	74	*	0	* *
12 - 23 Months	40	*	40	*	40	*	0	* *
24 - 59 Months	40	*	40	*	40	*	40	* *
Total	154	4.5	154	4.5	154	18.2	40	* *
Filipino								
0 - 11 Months	88	*	88	*	88	*	0	* *
12 - 23 Months	42	*	42	*	42	*	0	* *
24 - 59 Months	34	*	34	*	34	*	34	* *
Total	164	12.2	164	2.4	164	10.4	34	* *
All Other								
0 - 11 Months	1,796	4.0	1,796	7.1	1,796	7.3	0	0.0 0.0
12 - 23 Months	925	2.9	925	2.1	925	11.8	0	0.0 0.0
24 - 59 Months	1,102	3.6	1,102	3.3	1,102	17.4	1,102	18.9 17.4
Total	3,823	3.6	3,823	4.8	3,823	11.3	1,102	18.9 17.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
San Mateo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 144
Run Date: 4/4/2012

State: California

County: 041

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	4,267	4.5	4,267	7.8	4,267	7.5	0	0.0 0.0
12 - 23 Months	2,287	3.3	2,287	1.7	2,287	12.0	0	0.0 0.0
24 - 59 Months	2,690	3.3	2,690	3.5	2,690	17.9	2,690	18.1 17.9
Total	9,244	3.9	9,244	5.0	9,244	11.6	2,690	18.1 17.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 145
Run Date: 4/4/2012

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	418	2.9	418	8.1	418	8.6	0	0.0 0.0
12 - 23 Months	265	3.0	265	0.8	265	13.2	0	0.0 0.0
24 - 59 Months	359	1.7	359	5.0	359	15.3	359	16.7 15.3
Total	1,042	2.5	1,042	5.2	1,042	12.1	359	16.7 15.3
Black, Not Hispanic								
0 - 11 Months	64	*	64	*	64	*	0	* *
12 - 23 Months	40	*	40	*	40	*	0	* *
24 - 59 Months	54	*	54	*	54	*	54	* *
Total	158	6.3	158	1.9	158	18.4	54	* *
Hispanic								
0 - 11 Months	5,049	4.7	5,049	5.2	5,049	7.7	0	0.0 0.0
12 - 23 Months	3,209	3.7	3,209	0.8	3,209	12.3	0	0.0 0.0
24 - 59 Months	4,736	4.8	4,736	2.9	4,736	18.3	4,736	17.4 18.3
Total	12,994	4.5	12,994	3.3	12,994	12.7	4,736	17.4 18.3
American Indian/Alaska Native								
0 - 11 Months	15	*	15	*	15	*	0	* *
12 - 23 Months	8	*	8	*	8	*	0	* *
24 - 59 Months	12	*	12	*	12	*	12	* *
Total	35	*	35	*	35	*	12	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 146
Run Date: 4/4/2012

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	14	*	14	*	14	*	0	* *
12 - 23 Months	21	*	21	*	21	*	0	* *
24 - 59 Months	16	*	16	*	16	*	16	* *
Total	51	*	51	*	51	*	16	* *
Pacific Islander								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	7	*	7	*	7	*	2	* *
Filipino								
0 - 11 Months	8	*	8	*	8	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	8	*	8	*	8	*	8	* *
Total	25	*	25	*	25	*	8	* *
All Other								
0 - 11 Months	1,110	5.0	1,110	6.9	1,110	6.4	0	0.0 0.0
12 - 23 Months	629	5.6	629	1.0	629	12.9	0	0.0 0.0
24 - 59 Months	923	4.3	923	5.4	923	14.5	923	15.8 14.5
Total	2,662	4.9	2,662	5.0	2,662	10.7	923	15.8 14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Barbara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 147
Run Date: 4/4/2012

State: California

County: 042

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	6,682	4.7	6,682	5.6	6,682	7.6	0	0.0 0.0
12 - 23 Months	4,182	4.0	4,182	0.8	4,182	12.5	0	0.0 0.0
24 - 59 Months	6,110	4.5	6,110	3.4	6,110	17.6	6,110	17.1 17.6
Total	16,974	4.5	16,974	3.6	16,974	12.4	6,110	17.1 17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 148
Run Date: 4/4/2012

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	280	8.9	280	7.9	280	10.0	0	0.0 0.0
12 - 23 Months	107	2.8	107	0.9	107	8.4	0	0.0 0.0
24 - 59 Months	143	4.9	143	1.4	143	16.1	143	17.5 16.1
Total	530	6.6	530	4.7	530	11.3	143	17.5 16.1
Black, Not Hispanic								
0 - 11 Months	130	5.4	130	8.5	130	7.7	0	0.0 0.0
12 - 23 Months	58	*	58	*	58	*	0	* *
24 - 59 Months	72	*	72	*	72	*	72	* *
Total	260	4.2	260	6.2	260	12.7	72	* *
Hispanic								
0 - 11 Months	3,812	4.7	3,812	6.0	3,812	7.8	0	0.0 0.0
12 - 23 Months	1,693	3.9	1,693	0.6	1,693	14.5	0	0.0 0.0
24 - 59 Months	2,104	2.9	2,104	4.1	2,104	17.8	2,104	17.8 17.8
Total	7,609	4.0	7,609	4.3	7,609	12.1	2,104	17.8 17.8
American Indian/Alaska Native								
0 - 11 Months	13	*	13	*	13	*	0	* *
12 - 23 Months	13	*	13	*	13	*	0	* *
24 - 59 Months	14	*	14	*	14	*	14	* *
Total	40	*	40	*	40	*	14	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 149
Run Date: 4/4/2012

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	818	8.1	818	3.3	818	8.1	0	0.0 0.0
12 - 23 Months	474	7.2	474	1.1	474	8.6	0	0.0 0.0
24 - 59 Months	793	4.2	793	5.5	793	13.6	793	13.7 13.6
Total	2,085	6.4	2,085	3.6	2,085	10.3	793	13.7 13.6
Pacific Islander								
0 - 11 Months	23	*	23	*	23	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	14	*	14	*	14	*	14	* *
Total	47	*	47	*	47	*	14	* *
Filipino								
0 - 11 Months	76	*	76	*	76	*	0	* *
12 - 23 Months	58	*	58	*	58	*	0	* *
24 - 59 Months	48	*	48	*	48	*	48	* *
Total	182	6.6	182	2.2	182	10.4	48	* *
All Other								
0 - 11 Months	7,794	7.9	7,794	6.4	7,794	8.8	0	0.0 0.0
12 - 23 Months	2,907	5.6	2,907	1.1	2,907	13.6	0	0.0 0.0
24 - 59 Months	3,487	3.9	3,487	4.2	3,487	18.4	3,487	16.2 18.4
Total	14,188	6.4	14,188	4.8	14,188	12.2	3,487	16.2 18.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Clara
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 150
Run Date: 4/4/2012

State: California

County: 043

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	12,946	6.9	12,946	6.1	12,946	8.4	0	0.0 0.0
12 - 23 Months	5,320	5.1	5,320	0.9	5,320	13.4	0	0.0 0.0
24 - 59 Months	6,675	3.6	6,675	4.3	6,675	17.6	6,675	16.3 17.6
Total	24,941	5.7	24,941	4.5	24,941	11.9	6,675	16.3 17.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 151
Run Date: 4/4/2012

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	291	6.2	291	9.6	291	5.8	0	0.0 0.0
12 - 23 Months	90	*	90	*	90	*	0	* *
24 - 59 Months	59	*	59	*	59	*	59	* *
Total	440	6.1	440	7.7	440	7.0	59	* *
Black, Not Hispanic								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	12	*	12	*	12	*	2	* *
Hispanic								
0 - 11 Months	1,413	5.8	1,413	4.2	1,413	10.7	0	0.0 0.0
12 - 23 Months	469	4.7	469	1.3	469	17.1	0	0.0 0.0
24 - 59 Months	306	3.9	306	3.6	306	19.0	306	16.7 19.0
Total	2,188	5.3	2,188	3.5	2,188	13.2	306	16.7 19.0
American Indian/Alaska Native								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 152
Run Date: 4/4/2012

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	8	*	8	*	8	*	0	* *
Pacific Islander								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	2	*	2	*	2	*	0	* *
Filipino								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	4	*	4	*	4	*	0	* *
All Other								
0 - 11 Months	209	5.3	209	7.2	209	11.0	0	0.0 0.0
12 - 23 Months	87	*	87	*	87	*	0	* *
24 - 59 Months	92	*	92	*	92	*	92	* *
Total	388	4.4	388	5.9	388	13.9	92	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Santa Cruz
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 153
Run Date: 4/4/2012

State: California

County: 044

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,932	5.9	1,932	5.4	1,932	10.0	0	0.0 0.0
12 - 23 Months	652	5.5	652	1.4	652	16.6	0	0.0 0.0
24 - 59 Months	460	3.0	460	4.8	460	16.7	460	15.4 16.7
Total	3,044	5.4	3,044	4.4	3,044	12.4	460	15.4 16.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 154
Run Date: 4/4/2012

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,471	7.5	1,471	5.0	1,471	6.9	0	0.0 0.0
12 - 23 Months	711	5.1	711	1.0	711	13.5	0	0.0 0.0
24 - 59 Months	1,029	4.4	1,029	2.8	1,029	15.0	1,029	19.0 15.0
Total	3,211	6.0	3,211	3.4	3,211	10.9	1,029	19.0 15.0
Black, Not Hispanic								
0 - 11 Months	42	*	42	*	42	*	0	* *
12 - 23 Months	29	*	29	*	29	*	0	* *
24 - 59 Months	41	*	41	*	41	*	41	* *
Total	112	6.3	112	7.1	112	9.8	41	* *
Hispanic								
0 - 11 Months	220	7.7	220	2.3	220	10.9	0	0.0 0.0
12 - 23 Months	119	10.1	119	0.8	119	16.0	0	0.0 0.0
24 - 59 Months	193	2.6	193	2.6	193	17.1	193	16.6 17.1
Total	532	6.4	532	2.1	532	14.3	193	16.6 17.1
American Indian/Alaska Native								
0 - 11 Months	84	*	84	*	84	*	0	* *
12 - 23 Months	40	*	40	*	40	*	0	* *
24 - 59 Months	70	*	70	*	70	*	70	* *
Total	194	5.2	194	4.1	194	16.5	70	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 155
Run Date: 4/4/2012

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	48	*	48	*	48	*	0	* *
12 - 23 Months	28	*	28	*	28	*	0	* *
24 - 59 Months	43	*	43	*	43	*	43	* *
Total	119	10.1	119	4.2	119	16.8	43	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	1	*	1	*	1	*	1	* *
Filipino								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	16	*	16	*	16	*	4	* *
All Other								
0 - 11 Months	322	7.1	322	6.5	322	8.4	0	0.0 0.0
12 - 23 Months	147	3.4	147	1.4	147	17.7	0	0.0 0.0
24 - 59 Months	199	6.0	199	3.5	199	18.6	199	22.6 18.6
Total	668	6.0	668	4.5	668	13.5	199	22.6 18.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Shasta
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 156
Run Date: 4/4/2012

State: California

County: 045

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	2,192	7.7	2,192	5.0	2,192	7.8	0	0.0 0.0
12 - 23 Months	1,081	5.7	1,081	1.3	1,081	14.4	0	0.0 0.0
24 - 59 Months	1,580	4.2	1,580	3.1	1,580	16.1	1,580	18.7 16.1
Total	4,853	6.1	4,853	3.6	4,853	12.0	1,580	18.7 16.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 157
Run Date: 4/4/2012

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	12	*	12	*	12	*	0 * *
12 - 23 Months	6	*	6	*	6	*	0 * *
24 - 59 Months	8	*	8	*	8	*	8 * *
Total	26	*	26	*	26	*	8 * *
Black, Not Hispanic							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Hispanic							
0 - 11 Months	7	*	7	*	7	*	0 * *
12 - 23 Months	3	*	3	*	3	*	0 * *
24 - 59 Months	4	*	4	*	4	*	4 * *
Total	14	*	14	*	14	*	4 * *
American Indian/Alaska Native							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 158
Run Date: 4/4/2012

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	4	*	4	*	4	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	4	*	4	*	4	*	0 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sierra
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 159
Run Date: 4/4/2012

State: California

County: 046

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Total All Race/Ethnic Groups							
0 - 11 Months	23	*	23	*	23	*	0 * *
12 - 23 Months	9	*	9	*	9	*	0 * *
24 - 59 Months	12	*	12	*	12	*	12 * *
Total	44	*	44	*	44	*	12 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 160
Run Date: 4/4/2012

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	332	4.2	332	9.0	332	6.3	0	0.0 0.0
12 - 23 Months	165	4.2	165	1.8	165	6.7	0	0.0 0.0
24 - 59 Months	232	3.4	232	6.9	232	7.8	232	13.8 7.8
Total	729	4.0	729	6.7	729	6.9	232	13.8 7.8
Black, Not Hispanic								
0 - 11 Months	6	*	6	*	6	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	13	*	13	*	13	*	13	* *
Total	22	*	22	*	22	*	13	* *
Hispanic								
0 - 11 Months	69	*	69	*	69	*	0	* *
12 - 23 Months	30	*	30	*	30	*	0	* *
24 - 59 Months	67	*	67	*	67	*	67	* *
Total	166	2.4	166	5.4	166	7.8	67	* *
American Indian/Alaska Native								
0 - 11 Months	28	*	28	*	28	*	0	* *
12 - 23 Months	16	*	16	*	16	*	0	* *
24 - 59 Months	24	*	24	*	24	*	24	* *
Total	68	*	68	*	68	*	24	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 161
Run Date: 4/4/2012

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	3	*	3	*	3	*	0 * *
12 - 23 Months	2	*	2	*	2	*	0 * *
24 - 59 Months	3	*	3	*	3	*	3 * *
Total	8	*	8	*	8	*	3 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	1	*	1	*	1	*	1 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	67	*	67	*	67	*	0 * *
12 - 23 Months	44	*	44	*	44	*	0 * *
24 - 59 Months	51	*	51	*	51	*	51 * *
Total	162	3.7	162	4.9	162	13.6	51 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Siskiyou
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 162
Run Date: 4/4/2012

State: California

County: 047

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	505	3.8	505	8.7	505	5.9	0	0.0 0.0
12 - 23 Months	260	4.6	260	1.2	260	11.9	0	0.0 0.0
24 - 59 Months	391	3.1	391	5.9	391	9.7	391	14.6 9.7
Total	1,156	3.7	1,156	6.1	1,156	8.6	391	14.6 9.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 163
Run Date: 4/4/2012

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	303	5.3	303	5.0	303	5.6	0	0.0 0.0
12 - 23 Months	188	5.9	188	2.1	188	8.0	0	0.0 0.0
24 - 59 Months	204	3.4	204	5.4	204	10.8	204	19.1 10.8
Total	695	4.9	695	4.3	695	7.8	204	19.1 10.8
Black, Not Hispanic								
0 - 11 Months	240	4.6	240	6.7	240	11.3	0	0.0 0.0
12 - 23 Months	125	2.4	125	0.8	125	13.6	0	0.0 0.0
24 - 59 Months	215	2.8	215	5.1	215	14.0	215	15.3 14.0
Total	580	3.4	580	4.8	580	12.8	215	15.3 14.0
Hispanic								
0 - 11 Months	717	3.1	717	6.1	717	8.5	0	0.0 0.0
12 - 23 Months	443	2.3	443	1.1	443	11.7	0	0.0 0.0
24 - 59 Months	659	2.1	659	3.2	659	17.8	659	16.5 17.8
Total	1,819	2.5	1,819	3.8	1,819	12.6	659	16.5 17.8
American Indian/Alaska Native								
0 - 11 Months	7	*	7	*	7	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	11	*	11	*	11	*	2	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 164
Run Date: 4/4/2012

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	29	*	29	*	29	*	0	* *
12 - 23 Months	30	*	30	*	30	*	0	* *
24 - 59 Months	16	*	16	*	16	*	16	* *
Total	75	*	75	*	75	*	16	* *
Pacific Islander								
0 - 11 Months	14	*	14	*	14	*	0	* *
12 - 23 Months	13	*	13	*	13	*	0	* *
24 - 59 Months	10	*	10	*	10	*	10	* *
Total	37	*	37	*	37	*	10	* *
Filipino								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	9	*	9	*	9	*	9	* *
Total	37	*	37	*	37	*	9	* *
All Other								
0 - 11 Months	1,101	8.3	1,101	5.5	1,101	7.9	0	0.0 0.0
12 - 23 Months	624	7.5	624	1.1	624	13.8	0	0.0 0.0
24 - 59 Months	972	4.5	972	4.9	972	14.5	972	15.7 14.5
Total	2,697	6.7	2,697	4.3	2,697	11.6	972	15.7 14.5

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Solano
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 165
Run Date: 4/4/2012

State: California

County: 048

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	2,429	5.9	2,429	5.7	2,429	8.0	0	0.0 0.0
12 - 23 Months	1,435	5.3	1,435	1.3	1,435	12.0	0	0.0 0.0
24 - 59 Months	2,087	3.5	2,087	4.5	2,087	14.9	2,087	16.4 14.9
Total	5,951	4.9	5,951	4.2	5,951	11.4	2,087	16.4 14.9

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 166
Run Date: 4/4/2012

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	666	5.6	666	5.7	666	6.9	0	0.0 0.0
12 - 23 Months	302	4.0	302	1.0	302	13.6	0	0.0 0.0
24 - 59 Months	415	4.6	415	4.6	415	14.0	415	15.9 14.0
Total	1,383	4.9	1,383	4.3	1,383	10.5	415	15.9 14.0
Black, Not Hispanic								
0 - 11 Months	36	*	36	*	36	*	0	* *
12 - 23 Months	32	*	32	*	32	*	0	* *
24 - 59 Months	27	*	27	*	27	*	27	* *
Total	95	*	95	*	95	*	27	* *
Hispanic								
0 - 11 Months	2,586	5.8	2,586	5.8	2,586	8.5	0	0.0 0.0
12 - 23 Months	1,387	4.3	1,387	1.4	1,387	14.3	0	0.0 0.0
24 - 59 Months	1,834	3.3	1,834	5.0	1,834	16.2	1,834	15.0 16.2
Total	5,807	4.7	5,807	4.5	5,807	12.3	1,834	15.0 16.2
American Indian/Alaska Native								
0 - 11 Months	91	*	91	*	91	*	0	* *
12 - 23 Months	61	*	61	*	61	*	0	* *
24 - 59 Months	59	*	59	*	59	*	59	* *
Total	211	2.8	211	2.4	211	15.6	59	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 167
Run Date: 4/4/2012

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	32	*	32	*	32	*	0	* *
12 - 23 Months	12	*	12	*	12	*	0	* *
24 - 59 Months	23	*	23	*	23	*	23	* *
Total	67	*	67	*	67	*	23	* *
Pacific Islander								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	6	*	6	*	6	*	2	* *
Filipino								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	4	*	4	*	4	*	0	* *
24 - 59 Months	3	*	3	*	3	*	3	* *
Total	9	*	9	*	9	*	3	* *
All Other								
0 - 11 Months	189	6.9	189	6.9	189	9.0	0	0.0 0.0
12 - 23 Months	85	*	85	*	85	*	0	* *
24 - 59 Months	123	4.1	123	8.9	123	9.8	123	21.1 9.8
Total	397	5.8	397	6.3	397	11.3	123	21.1 9.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sonoma
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 168
Run Date: 4/4/2012

State: California

County: 049

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	3,606	5.9	3,606	5.9	3,606	8.2	0	0.0 0.0
12 - 23 Months	1,883	4.3	1,883	1.3	1,883	14.6	0	0.0 0.0
24 - 59 Months	2,486	3.5	2,486	5.0	2,486	15.6	2,486	15.4 15.6
Total	7,975	4.8	7,975	4.5	7,975	12.0	2,486	15.4 15.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 169
Run Date: 4/4/2012

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	3,412	7.6	3,412	6.4	3,412	9.9	0	0.0 0.0
12 - 23 Months	1,567	4.5	1,567	0.9	1,567	15.9	0	0.0 0.0
24 - 59 Months	2,547	3.6	2,547	3.2	2,547	17.6	2,547	16.8 17.6
Total	7,526	5.6	7,526	4.2	7,526	13.8	2,547	16.8 17.6
Black, Not Hispanic								
0 - 11 Months	200	14.0	200	8.0	200	7.5	0	0.0 0.0
12 - 23 Months	106	3.8	106	0.9	106	14.2	0	0.0 0.0
24 - 59 Months	227	0.9	227	6.2	227	15.9	227	16.3 15.9
Total	533	6.4	533	5.8	533	12.4	227	16.3 15.9
Hispanic								
0 - 11 Months	2,632	5.2	2,632	6.2	2,632	8.1	0	0.0 0.0
12 - 23 Months	1,550	3.8	1,550	1.0	1,550	15.5	0	0.0 0.0
24 - 59 Months	2,760	3.0	2,760	4.2	2,760	17.3	2,760	16.9 17.3
Total	6,942	4.0	6,942	4.2	6,942	13.4	2,760	16.9 17.3
American Indian/Alaska Native								
0 - 11 Months	9	*	9	*	9	*	0	* *
12 - 23 Months	16	*	16	*	16	*	0	* *
24 - 59 Months	29	*	29	*	29	*	29	* *
Total	54	*	54	*	54	*	29	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 170
Run Date: 4/4/2012

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	92	*	92	*	92	*	0	* *
12 - 23 Months	50	*	50	*	50	*	0	* *
24 - 59 Months	97	*	97	*	97	*	97	* *
Total	239	11.3	239	5.4	239	12.6	97	* *
Pacific Islander								
0 - 11 Months	31	*	31	*	31	*	0	* *
12 - 23 Months	15	*	15	*	15	*	0	* *
24 - 59 Months	30	*	30	*	30	*	30	* *
Total	76	*	76	*	76	*	30	* *
Filipino								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	7	*	7	*	7	*	2	* *
All Other								
0 - 11 Months	1,054	6.2	1,054	6.0	1,054	6.5	0	0.0 0.0
12 - 23 Months	513	4.3	513	1.4	513	12.7	0	0.0 0.0
24 - 59 Months	656	3.4	656	6.3	656	14.6	656	13.6 14.6
Total	2,223	4.9	2,223	5.0	2,223	10.3	656	13.6 14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Stanislaus
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 171
Run Date: 4/4/2012

State: California

County: 050

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	7,434	6.8	7,434	6.2	7,434	8.8	0	0.0 0.0
12 - 23 Months	3,818	4.2	3,818	1.0	3,818	15.2	0	0.0 0.0
24 - 59 Months	6,348	3.3	6,348	4.2	6,348	17.1	6,348	16.4 17.1
Total	17,600	5.0	17,600	4.4	17,600	13.2	6,348	16.4 17.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 172
Run Date: 4/4/2012

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	423	3.1	423	7.1	423	3.8	0	0.0 0.0
12 - 23 Months	208	6.3	208	1.0	208	16.3	0	0.0 0.0
24 - 59 Months	254	5.9	254	6.3	254	11.8	254	17.3 11.8
Total	885	4.6	885	5.4	885	9.0	254	17.3 11.8
Black, Not Hispanic								
0 - 11 Months	18	*	18	*	18	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	15	*	15	*	15	*	15	* *
Total	42	*	42	*	42	*	15	* *
Hispanic								
0 - 11 Months	670	5.1	670	4.6	670	8.1	0	0.0 0.0
12 - 23 Months	325	3.4	325	0.0	325	12.6	0	0.0 0.0
24 - 59 Months	499	4.6	499	4.4	499	16.0	499	16.6 16.0
Total	1,494	4.6	1,494	3.5	1,494	11.7	499	16.6 16.0
American Indian/Alaska Native								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	8	*	8	*	8	*	2	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 173
Run Date: 4/4/2012

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	66	*	66	*	66	*	0	* *
12 - 23 Months	20	*	20	*	20	*	0	* *
24 - 59 Months	36	*	36	*	36	*	36	* *
Total	122	3.3	122	13.1	122	9.0	36	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	3	*	3	*	3	*	0	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	2	*	2	*	2	*	2	* *
All Other								
0 - 11 Months	219	4.6	219	9.1	219	3.2	0	0.0 0.0
12 - 23 Months	125	4.0	125	2.4	125	16.8	0	0.0 0.0
24 - 59 Months	161	6.8	161	6.8	161	14.3	161	11.8 14.3
Total	505	5.1	505	6.7	505	10.1	161	11.8 14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Sutter
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 174
Run Date: 4/4/2012

State: California

County: 051

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,400	4.4	1,400	6.6	1,400	5.8	0	0.0 0.0
12 - 23 Months	692	4.3	692	0.7	692	14.3	0	0.0 0.0
24 - 59 Months	969	5.2	969	5.9	969	14.6	969	15.3 14.6
Total	3,061	4.6	3,061	5.1	3,061	10.5	969	15.3 14.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 175
Run Date: 4/4/2012

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	94	*	94	*	94	*	0	* *
12 - 23 Months	71	*	71	*	71	*	0	* *
24 - 59 Months	110	1.8	110	2.7	110	9.1	110	12.7 9.1
Total	275	5.1	275	3.3	275	10.9	110	12.7 9.1
Black, Not Hispanic								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	7	*	7	*	7	*	1	* *
Hispanic								
0 - 11 Months	116	6.0	116	6.0	116	6.9	0	0.0 0.0
12 - 23 Months	68	*	68	*	68	*	0	* *
24 - 59 Months	151	2.6	151	4.0	151	25.2	151	19.2 25.2
Total	335	4.2	335	3.9	335	19.1	151	19.2 25.2
American Indian/Alaska Native								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	7	*	7	*	7	*	7	* *
Total	8	*	8	*	8	*	7	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 176
Run Date: 4/4/2012

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	5	*	5	*	5	*	2	* *
Pacific Islander								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	3	*	3	*	3	*	2	* *
Filipino								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	0	*	0	*	0	*	0	* *
All Other								
0 - 11 Months	938	5.0	938	8.3	938	5.1	0	0.0 0.0
12 - 23 Months	472	2.5	472	1.7	472	11.9	0	0.0 0.0
24 - 59 Months	553	3.4	553	5.6	553	11.6	553	13.4 11.6
Total	1,963	4.0	1,963	6.0	1,963	8.6	553	13.4 11.6

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tehama
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 177
Run Date: 4/4/2012

State: California

County: 052

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,156	5.5	1,156	7.9	1,156	5.7	0	0.0 0.0
12 - 23 Months	614	2.9	614	1.3	614	13.8	0	0.0 0.0
24 - 59 Months	826	3.0	826	4.8	826	13.7	826	14.5 13.7
Total	2,596	4.1	2,596	5.4	2,596	10.2	826	14.5 13.7

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 178
Run Date: 4/4/2012

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
White, Not Hispanic							
0 - 11 Months	51	*	51	*	51	*	0 * *
12 - 23 Months	25	*	25	*	25	*	0 * *
24 - 59 Months	35	*	35	*	35	*	35 * *
Total	111	3.6	111	3.6	111	17.1	35 * *
Black, Not Hispanic							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	1	*	1	*	1	*	0 * *
Hispanic							
0 - 11 Months	22	*	22	*	22	*	0 * *
12 - 23 Months	4	*	4	*	4	*	0 * *
24 - 59 Months	6	*	6	*	6	*	6 * *
Total	32	*	32	*	32	*	6 * *
American Indian/Alaska Native							
0 - 11 Months	1	*	1	*	1	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	2	*	2	*	2	*	2 * *
Total	4	*	4	*	4	*	2 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 179
Run Date: 4/4/2012

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	7	*	7	*	7	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	9	*	9	*	9	*	9 * *
Total	17	*	17	*	17	*	9 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Trinity
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 180
Run Date: 4/4/2012

State: California

County: 053

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	82	*	82	*	82	*	0	* *
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	52	*	52	*	52	*	52	* *
Total	165	5.5	165	4.8	165	13.3	52	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 181
Run Date: 4/4/2012

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	1,036	6.1	1,036	5.8	1,036	9.9	0	0.0 0.0
12 - 23 Months	410	5.4	410	0.7	410	17.1	0	0.0 0.0
24 - 59 Months	636	3.3	636	5.5	636	14.9	636	12.3 14.9
Total	2,082	5.1	2,082	4.7	2,082	12.9	636	12.3 14.9
Black, Not Hispanic								
0 - 11 Months	120	15.0	120	5.0	120	11.7	0	0.0 0.0
12 - 23 Months	45	*	45	*	45	*	0	* *
24 - 59 Months	91	*	91	*	91	*	91	* *
Total	256	7.8	256	4.7	256	13.7	91	* *
Hispanic								
0 - 11 Months	8,377	6.2	8,377	3.9	8,377	11.1	0	0.0 0.0
12 - 23 Months	3,856	6.8	3,856	0.8	3,856	20.7	0	0.0 0.0
24 - 59 Months	6,359	3.5	6,359	3.3	6,359	18.7	6,359	16.4 18.7
Total	18,592	5.4	18,592	3.0	18,592	15.7	6,359	16.4 18.7
American Indian/Alaska Native								
0 - 11 Months	47	*	47	*	47	*	0	* *
12 - 23 Months	23	*	23	*	23	*	0	* *
24 - 59 Months	54	*	54	*	54	*	54	* *
Total	124	6.5	124	7.3	124	8.1	54	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 182
Run Date: 4/4/2012

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	143	11.2	143	2.8	143	14.7	0	0.0 0.0
12 - 23 Months	47	*	47	*	47	*	0	* *
24 - 59 Months	70	*	70	*	70	*	70	* *
Total	260	11.9	260	2.3	260	15.4	70	* *
Pacific Islander								
0 - 11 Months	21	*	21	*	21	*	0	* *
12 - 23 Months	9	*	9	*	9	*	0	* *
24 - 59 Months	32	*	32	*	32	*	32	* *
Total	62	*	62	*	62	*	32	* *
Filipino								
0 - 11 Months	19	*	19	*	19	*	0	* *
12 - 23 Months	10	*	10	*	10	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	33	*	33	*	33	*	4	* *
All Other								
0 - 11 Months	771	7.7	771	5.1	771	10.8	0	0.0 0.0
12 - 23 Months	270	6.3	270	1.1	270	18.9	0	0.0 0.0
24 - 59 Months	404	5.2	404	3.7	404	14.1	404	13.1 14.1
Total	1,445	6.7	1,445	3.9	1,445	13.2	404	13.1 14.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tulare
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 183
Run Date: 4/4/2012

State: California

County: 054

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	10,534	6.5	10,534	4.2	10,534	11.0	0	0.0 0.0
12 - 23 Months	4,670	6.8	4,670	0.7	4,670	20.2	0	0.0 0.0
24 - 59 Months	7,650	3.6	7,650	3.6	7,650	18.1	7,650	15.9 18.1
Total	22,854	5.6	22,854	3.3	22,854	15.2	7,650	15.9 18.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 184
Run Date: 4/4/2012

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	255	1.6	255	14.5	255	4.7	0	0.0 0.0
12 - 23 Months	109	5.5	109	5.5	109	6.4	0	0.0 0.0
24 - 59 Months	154	2.6	154	7.8	154	11.7	154	14.3 11.7
Total	518	2.7	518	10.6	518	7.1	154	14.3 11.7
Black, Not Hispanic								
0 - 11 Months	3	*	3	*	3	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	5	*	5	*	5	*	2	* *
Hispanic								
0 - 11 Months	17	*	17	*	17	*	0	* *
12 - 23 Months	15	*	15	*	15	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	53	*	53	*	53	*	21	* *
American Indian/Alaska Native								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	1	*	1	*	1	*	0	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 185
Run Date: 4/4/2012

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾							
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		≥ 2 Yrs Overweight and Obese (4,5)
	Number	%	Number	%	Number	%	Number % Overweight Obese
Asian							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	1	*	1	*	1	*	0 * *
24 - 59 Months	1	*	1	*	1	*	1 * *
Total	2	*	2	*	2	*	1 * *
Pacific Islander							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
Filipino							
0 - 11 Months	0	*	0	*	0	*	0 * *
12 - 23 Months	0	*	0	*	0	*	0 * *
24 - 59 Months	0	*	0	*	0	*	0 * *
Total	0	*	0	*	0	*	0 * *
All Other							
0 - 11 Months	69	*	69	*	69	*	0 * *
12 - 23 Months	32	*	32	*	32	*	0 * *
24 - 59 Months	33	*	33	*	33	*	33 * *
Total	134	5.2	134	9.7	134	1.5	33 * *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age ≤ 2.3rd percentile, underweight is defined as weight-for-length ≤ 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as ≥ 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age ≥ 85th to < 95th percentile, and obesity is defined as ≥ 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Tuolumne
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 186
Run Date: 4/4/2012

State: California

County: 055

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	345	2.0	345	13.9	345	4.3	0	0.0 0.0
12 - 23 Months	157	7.0	157	4.5	157	6.4	0	0.0 0.0
24 - 59 Months	211	2.4	211	7.1	211	11.4	211	17.5 11.4
Total	713	3.2	713	9.8	713	6.9	211	17.5 11.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 187
Run Date: 4/4/2012

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	607	7.4	607	6.1	607	8.4	0	0.0 0.0
12 - 23 Months	368	4.6	368	1.6	368	13.0	0	0.0 0.0
24 - 59 Months	427	2.8	427	4.4	427	12.4	427	16.4 12.4
Total	1,402	5.3	1,402	4.4	1,402	10.8	427	16.4 12.4
Black, Not Hispanic								
0 - 11 Months	66	*	66	*	66	*	0	* *
12 - 23 Months	31	*	31	*	31	*	0	* *
24 - 59 Months	64	*	64	*	64	*	64	* *
Total	161	3.7	161	5.0	161	9.9	64	* *
Hispanic								
0 - 11 Months	7,437	4.9	7,437	4.8	7,437	9.5	0	0.0 0.0
12 - 23 Months	4,541	5.3	4,541	0.6	4,541	18.2	0	0.0 0.0
24 - 59 Months	6,651	4.3	6,651	3.2	6,651	20.1	6,651	17.0 20.1
Total	18,629	4.8	18,629	3.2	18,629	15.4	6,651	17.0 20.1
American Indian/Alaska Native								
0 - 11 Months	62	*	62	*	62	*	0	* *
12 - 23 Months	22	*	22	*	22	*	0	* *
24 - 59 Months	30	*	30	*	30	*	30	* *
Total	114	10.5	114	2.6	114	13.2	30	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 188
Run Date: 4/4/2012

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	37	*	37	*	37	*	0	* *
12 - 23 Months	14	*	14	*	14	*	0	* *
24 - 59 Months	29	*	29	*	29	*	29	* *
Total	80	*	80	*	80	*	29	* *
Pacific Islander								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	10	*	10	*	10	*	4	* *
Filipino								
0 - 11 Months	15	*	15	*	15	*	0	* *
12 - 23 Months	7	*	7	*	7	*	0	* *
24 - 59 Months	11	*	11	*	11	*	11	* *
Total	33	*	33	*	33	*	11	* *
All Other								
0 - 11 Months	1,359	3.2	1,359	5.4	1,359	7.8	0	0.0 0.0
12 - 23 Months	704	2.0	704	1.0	704	13.4	0	0.0 0.0
24 - 59 Months	934	2.5	934	5.8	934	15.4	934	12.6 15.4
Total	2,997	2.7	2,997	4.5	2,997	11.5	934	12.6 15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Ventura
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 189
Run Date: 4/4/2012

State: California

County: 056

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	9,587	4.8	9,587	5.0	9,587	9.2	0	0.0 0.0
12 - 23 Months	5,689	4.9	5,689	0.7	5,689	17.2	0	0.0 0.0
24 - 59 Months	8,150	4.0	8,150	3.6	8,150	19.1	8,150	16.5 19.1
Total	23,426	4.6	23,426	3.4	23,426	14.6	8,150	16.5 19.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 190
Run Date: 4/4/2012

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight Obese
White, Not Hispanic								
0 - 11 Months	333	3.6	333	7.8	333	7.5	0	0.0
12 - 23 Months	157	1.9	157	0.0	157	19.1	0	0.0
24 - 59 Months	285	2.5	285	4.9	285	12.3	285	13.7
Total	775	2.8	775	5.2	775	11.6	285	13.7
Black, Not Hispanic								
0 - 11 Months	34	*	34	*	34	*	0	*
12 - 23 Months	12	*	12	*	12	*	0	*
24 - 59 Months	22	*	22	*	22	*	22	*
Total	68	*	68	*	68	*	22	*
Hispanic								
0 - 11 Months	1,118	4.3	1,118	7.7	1,118	7.9	0	0.0
12 - 23 Months	676	2.8	676	1.0	676	16.9	0	0.0
24 - 59 Months	995	2.7	995	2.9	995	16.9	995	18.2
Total	2,789	3.4	2,789	4.4	2,789	13.3	995	18.2
American Indian/Alaska Native								
0 - 11 Months	12	*	12	*	12	*	0	*
12 - 23 Months	3	*	3	*	3	*	0	*
24 - 59 Months	4	*	4	*	4	*	4	*
Total	19	*	19	*	19	*	4	*

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 191
Run Date: 4/4/2012

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	38	*	38	*	38	*	0	* *
12 - 23 Months	14	*	14	*	14	*	0	* *
24 - 59 Months	22	*	22	*	22	*	22	* *
Total	74	*	74	*	74	*	22	* *
Pacific Islander								
0 - 11 Months	0	*	0	*	0	*	0	* *
12 - 23 Months	3	*	3	*	3	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	3	*	3	*	3	*	0	* *
Filipino								
0 - 11 Months	5	*	5	*	5	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	0	*	0	*	0	*	0	* *
Total	5	*	5	*	5	*	0	* *
All Other								
0 - 11 Months	410	6.3	410	12.9	410	7.6	0	0.0 0.0
12 - 23 Months	244	3.3	244	2.9	244	13.1	0	0.0 0.0
24 - 59 Months	329	2.7	329	5.2	329	14.3	329	12.5 14.3
Total	983	4.4	983	7.8	983	11.2	329	12.5 14.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yolo
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 192
Run Date: 4/4/2012

State: California

County: 057

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,950	4.7	1,950	8.9	1,950	7.7	0	0.0 0.0
12 - 23 Months	1,109	3.0	1,109	1.4	1,109	16.2	0	0.0 0.0
24 - 59 Months	1,657	2.8	1,657	3.9	1,657	15.4	1,657	16.3 15.4
Total	4,716	3.6	4,716	5.3	4,716	12.4	1,657	16.3 15.4

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 193
Run Date: 4/4/2012

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
White, Not Hispanic								
0 - 11 Months	502	5.0	502	6.2	502	7.2	0	0.0 0.0
12 - 23 Months	265	6.0	265	1.1	265	14.0	0	0.0 0.0
24 - 59 Months	349	2.9	349	2.3	349	12.9	349	16.0 12.9
Total	1,116	4.6	1,116	3.8	1,116	10.6	349	16.0 12.9
Black, Not Hispanic								
0 - 11 Months	26	*	26	*	26	*	0	* *
12 - 23 Months	11	*	11	*	11	*	0	* *
24 - 59 Months	21	*	21	*	21	*	21	* *
Total	58	*	58	*	58	*	21	* *
Hispanic								
0 - 11 Months	450	3.6	450	4.4	450	9.6	0	0.0 0.0
12 - 23 Months	288	4.5	288	0.0	288	12.5	0	0.0 0.0
24 - 59 Months	361	2.5	361	1.9	361	20.2	361	17.7 20.2
Total	1,099	3.5	1,099	2.5	1,099	13.8	361	17.7 20.2
American Indian/Alaska Native								
0 - 11 Months	4	*	4	*	4	*	0	* *
12 - 23 Months	2	*	2	*	2	*	0	* *
24 - 59 Months	4	*	4	*	4	*	4	* *
Total	10	*	10	*	10	*	4	* *

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 194
Run Date: 4/4/2012

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Asian								
0 - 11 Months	71	*	71	*	71	*	0	* *
12 - 23 Months	43	*	43	*	43	*	0	* *
24 - 59 Months	51	*	51	*	51	*	51	* *
Total	165	9.7	165	1.2	165	13.9	51	* *
Pacific Islander								
0 - 11 Months	2	*	2	*	2	*	0	* *
12 - 23 Months	1	*	1	*	1	*	0	* *
24 - 59 Months	2	*	2	*	2	*	2	* *
Total	5	*	5	*	5	*	2	* *
Filipino								
0 - 11 Months	1	*	1	*	1	*	0	* *
12 - 23 Months	0	*	0	*	0	*	0	* *
24 - 59 Months	1	*	1	*	1	*	1	* *
Total	2	*	2	*	2	*	1	* *
All Other								
0 - 11 Months	166	5.4	166	9.0	166	6.0	0	0.0 0.0
12 - 23 Months	84	*	84	*	84	*	0	* *
24 - 59 Months	106	4.7	106	6.6	106	15.1	106	9.4 15.1
Total	356	5.3	356	6.2	356	10.7	106	9.4 15.1

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age $<$ 5th percentile, underweight is defined as BMI-for-age $<$ 5th percentile, overweight is defined as BMI-for-age \geq 85th to $<$ 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if $<$ 100 records are available for analysis after exclusions.



Table 16B
2010 Pediatric Nutrition Surveillance ⁽¹⁾
Yuba
Growth Indicators by Race/Ethnicity and Age
Children Aged < 5 Years ⁽²⁾

Page: 195
Run Date: 4/4/2012

State: California

County: 058

Growth Indicators by Race/Ethnicity and Age ⁽³⁾								
	Short Stature (4,5)		Underweight (4,5)		Obese (4,5)		\geq 2 Yrs Overweight and Obese (4,5)	
	Number	%	Number	%	Number	%	Number	% Overweight % Obese
Total All Race/Ethnic Groups								
0 - 11 Months	1,222	4.7	1,222	5.9	1,222	7.9	0	0.0 0.0
12 - 23 Months	694	5.6	694	0.4	694	13.3	0	0.0 0.0
24 - 59 Months	895	3.2	895	2.5	895	16.3	895	16.1 16.3
Total	2,811	4.4	2,811	3.5	2,811	11.9	895	16.1 16.3

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 2006 WHO growth chart percentiles for children under 2 years of age; short stature is defined as length-for-age \leq 2.3rd percentile, underweight is defined as weight-for-length \leq 2.3rd percentile, and high weight-for-length (labeled as "Obese") is defined as \geq 97.7th percentile.

(5) Based on 2000 CDC growth chart percentiles for children 2 years of age and older; short stature is defined as height-for-age < 5th percentile, underweight is defined as BMI-for-age < 5th percentile, overweight is defined as BMI-for-age \geq 85th to < 95th percentile, and obesity is defined as \geq 95th percentile.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

